

\*\*\*\*\*  
USACE / NAVFAC / AFCEC / NASA UFGS-02 42 91 (May 2010)

Preparing Activity: USACE Nontechnical Title Revision  
(August 2015)

UNIFIED FACILITIES GUIDE SPECIFICATIONS

\*\*\*\*\*

SECTION TABLE OF CONTENTS

DIVISION 02 - EXISTING CONDITIONS

SECTION 02 42 91

REMOVAL AND SALVAGE OF HISTORIC CONSTRUCTION MATERIALS

05/10

PART 1 GENERAL

- 1.1 PROJECT DESCRIPTION
  - 1.1.1 Dust Control
  - 1.1.2 Protection
    - 1.1.2.1 Protection of Existing Historic Property
    - 1.1.2.2 Protection From the Weather
    - 1.1.2.3 Environmental Protection
- 1.2 SUBMITTALS
- 1.3 QUALIFICATIONS

PART 2 PRODUCTS

PART 3 EXECUTION

- 3.1 SALVAGED ITEMS
  - 3.1.1 Site Work
  - 3.1.2 Concrete
  - 3.1.3 Masonry
  - 3.1.4 Metals
  - 3.1.5 Wood
  - 3.1.6 Thermal and Moisture Protection
  - 3.1.7 Doors and Windows
  - 3.1.8 Finishes
  - 3.1.9 Equipment and Specialty Items
  - 3.1.10 Mechanical Equipment
  - 3.1.11 Electrical Equipment
- 3.2 RECYCLED MATERIALS
- 3.3 DISPOSITION OF MATERIALS
  - 3.3.1 Material Salvaged for the Contractor
  - 3.3.2 Items Salvaged for the Government
  - 3.3.3 Items Salvaged for the Using Service
- 3.4 CLEAN-UP

-- End of Section Table of Contents --

\*\*\*\*\*  
USACE / NAVFAC / AFCEC / NASA UFGS-02 42 91 (May 2010)  
-----  
Preparing Activity: USACE Nontechnical Title Revision  
(August 2015)

UNIFIED FACILITIES GUIDE SPECIFICATIONS

SECTION 02 42 91

REMOVAL AND SALVAGE OF HISTORIC CONSTRUCTION MATERIALS  
05/10

\*\*\*\*\*  
NOTE: This guide specification covers the requirements for removal and salvage of historic building materials of historic buildings and structures.

Adhere to UFC 1-300-02 Unified Facilities Guide Specifications (UFGS) Format Standard when editing this guide specification or preparing new project specification sections. Edit this guide specification for project specific requirements by adding, deleting, or revising text. For bracketed items, choose applicable item(s) or insert appropriate information.

Remove information and requirements not required in respective project, whether or not brackets are present.

Comments, suggestions and recommended changes for this guide specification are welcome and should be submitted as a Criteria Change Request (CCR).

\*\*\*\*\*  
PART 1 GENERAL

\*\*\*\*\*  
NOTE: This guide specification will be coordinated with the appropriate sections and the drawings, and the bracketed choices will be selected or omitted and the bracketed blank spaces filled in or omitted as required.  
\*\*\*\*\*

1.1 PROJECT DESCRIPTION

The work includes removal and salvage of identified historic items and materials, and removal of resulting rubbish and debris. General demolition of non-historic materials and removal of resulting rubbish and debris shall comply with the requirements of Section 02 41 00 [DEMOLITION] [AND] [DECONSTRUCTION]. Materials to be salvaged or recycled shall be stored daily in areas and manner specified by the Contracting Officer. In the interest of conservation, salvage and recycling shall be pursued to the

maximum extent possible. Submit a Work Plan The procedures proposed for the accomplishment of the work. The procedures shall provide for safe conduct of the work, careful removal and disposition of materials specified to be salvaged or recycled, dust control, protection of property which is to remain undisturbed, coordination with other work in progress, and timely disconnection of utility services. The procedures shall include a detailed description of the methods and equipment to be used for each operation, and the sequence of operations..

1.1.1 Dust Control

The amount of dust resulting from removal, salvage and demolition operations shall be controlled to prevent the spread of dust to occupied portions of the construction site and to avoid creation of a nuisance in the surrounding area. Use of water to control dust will not be permitted when it will result in, or create, damage to existing building materials and hazardous or objectionable conditions such as ice, flooding and pollution.

1.1.2 Protection

1.1.2.1 Protection of Existing Historic Property

Before beginning any removal, salvage or demolition work, survey the site and examine the drawings and specifications to determine the extent of the work. Take necessary precautions to avoid damage to existing historic items that are to remain in place, to be reused, or to remain the property of the Government. Repair or restore items damaged by the Contractor to original condition, or replaced, as approved by the Contracting Officer. Coordinate the work of this section with all other work and shall construct and maintain shoring, bracing and supports, as required. Ensure that structural elements are not overloaded and shall provide additional supports as may be required as a result of any cutting, removal, or demolition work performed under this contract.

1.1.2.2 Protection From the Weather

The interior of buildings to remain and salvageable materials shall be protected from the weather at all times. Salvaged historic materials shall be stored out of contact with the ground and under weathertight covering.

1.1.2.3 Environmental Protection

The work shall comply with the requirements of [Section 02 82 13.00 10 ASBESTOS ABATEMENT] [Section 02 83 19.13 10 LEAD-BASED PAINT ABATEMENT] [\_\_\_\_\_].

1.2 SUBMITTALS

\*\*\*\*\*

**NOTE: Review submittal description (SD) definitions in Section 01 33 00 SUBMITTAL PROCEDURES and edit the following list to reflect only the submittals required for the project.**

**The Guide Specification technical editors have designated those items that require Government approval, due to their complexity or criticality, with a "G." Generally, other submittal items can be**

reviewed by the Contractor's Quality Control System. Only add a "G" to an item, if the submittal is sufficiently important or complex in context of the project.

For submittals requiring Government approval on Army projects, a code of up to three characters within the submittal tags may be used following the "G" designation to indicate the approving authority. Codes for Army projects using the Resident Management System (RMS) are: "AE" for Architect-Engineer; "DO" for District Office (Engineering Division or other organization in the District Office); "AO" for Area Office; "RO" for Resident Office; and "PO" for Project Office. Codes following the "G" typically are not used for Navy, Air Force, and NASA projects.

Use the "S" classification only in SD-11 Closeout Submittals. The "S" following a submittal item indicates that the submittal is required for the Sustainability eNotebook to fulfill federally mandated sustainable requirements in accordance with Section 01 33 29 SUSTAINABILITY REPORTING.

Choose the first bracketed item for Navy, Air Force and NASA projects, or choose the second bracketed item for Army projects.

\*\*\*\*\*

Government approval is required for submittals with a "G" designation; submittals not having a "G" designation are for [Contractor Quality Control approval.] [information only. When used, a designation following the "G" designation identifies the office that will review the submittal for the Government.] Submittals with an "S" are for inclusion in the Sustainability eNotebook, in conformance to Section 01 33 29 SUSTAINABILITY REPORTING. Submit the following in accordance with Section 01 33 00 SUBMITTAL PROCEDURES:

SD-03 Product Data

Work Plan; G[, [\_\_\_\_\_]]

### 1.3 QUALIFICATIONS

Provide qualified workers trained and experienced in whole-building recycling, including removal and salvage of historic materials. Submit documentation of five consecutive years of work of this type with a list of similar projects identifying when, where, and for whom the work was done. A current point-of-contact for identified references shall be provided.

## PART 2 PRODUCTS

Not Used

## PART 3 EXECUTION

### 3.1 SALVAGED ITEMS

Salvage items to the maximum extent possible. Prior to any demolition work, historic items to be salvaged shall be removed from the structure. Removal of salvageable items shall be accomplished by hand labor to the maximum extent possible. Care shall be taken to not damage historic portions of the structure to remain or items identified for salvage. Furnishings, equipment, and materials not scheduled for salvage or recycling shall be removed prior to any salvaging procedures. Keep a complete recording of all salvaged materials including the condition of such materials before, and after, salvage operations.

#### 3.1.1 Site Work

The following site items shall be removed intact and salvaged: [fences and gates] [site furnishings] [fountains] [sculpture] [site ornaments] [site lighting fixtures] [\_\_\_\_\_].

#### 3.1.2 Concrete

The following concrete items shall be removed intact and salvaged: [precast architectural elements] [\_\_\_\_\_].

#### 3.1.3 Masonry

The following masonry items shall be removed intact and salvaged: [brick] [stone] [terra cotta] [cast stone] [clay tile trim elements] [cornerstones] [\_\_\_\_\_].

#### 3.1.4 Metals

The following metal items shall be removed intact and salvaged: [ladders] [stairs and handrails] [cast architectural ornament] [architectural metalwork] [ornamental ironwork] [gratings and metal walkways] [\_\_\_\_\_].

#### 3.1.5 Wood

The following materials shall be removed intact and salvaged: [wood decking] [millwork] [custom paneling] [wood stairs and handrails] [ladders] [architectural woodwork] [custom casework] [wood timbers (125 x 125 mm 5 x 5 inch or larger)] [\_\_\_\_\_].

#### 3.1.6 Thermal and Moisture Protection

The following materials shall be removed intact and salvaged: [slate tiles] [clay tiles] [gutters, leaders, and downspouts] [skylights] [roof accessories] [exterior siding] [\_\_\_\_\_].

#### 3.1.7 Doors and Windows

Doors and windows with associated hardware and operating mechanisms shall be removed intact (including glass) and salvaged per schedule.

#### 3.1.8 Finishes

The following special or historic finishes shall be [protected] [removed] and remain intact: [stenciling] [decorative tile] [molded ornament]

[decorative ceiling materials] [wood flooring] [textured wall coverings]  
[murals] [\_\_\_\_\_].

### 3.1.9 Equipment and Specialty Items

The following equipment and specialty items shall be removed intact and salvaged: [chalkboards and tackboards] [toilet partitions] [louvers and vents] [stoves] [plaques] [lockers] [mirrors] [bath accessories] [partitions] [contents of cornerstones] [document boxes] [\_\_\_\_\_].

### 3.1.10 Mechanical Equipment

The following mechanical equipment shall be removed intact and salvaged: [bathroom fixtures] [radiators] [registers and grilles] [fans] [\_\_\_\_\_].

### 3.1.11 Electrical Equipment

The following electrical fixtures and equipment shall be removed intact and salvaged: [light fixtures] [switches] [switch plates] [outlet covers] [clocks] [telecommunications equipment] [\_\_\_\_\_].

## 3.2 RECYCLED MATERIALS

Recycle materials to the maximum extent possible. Removal of recyclable materials shall be accomplished by hand labor wherever possible. Historic portions of the structure to remain and items identified for salvage shall not be damaged while removing materials for recycling. The following materials shall be recycled: [dimension lumber] [scrap wood] [paper and cardboard] [gypsum wallboard] [asphalt] [rubble] [glass] [metals] [\_\_\_\_\_].

## 3.3 DISPOSITION OF MATERIALS

Title to materials and equipment to be demolished, except Government and using service salvage and historical items, is vested in the Contractor upon receipt of notice to proceed. The Government will not be responsible for the condition, loss or damage to such property after notice to proceed.

### 3.3.1 Material Salvaged for the Contractor

Temporarily store salvaged material as approved by the Contracting Officer and remove from Government property before completion of the contract. Sale of salvaged material on the site is prohibited.

### 3.3.2 Items Salvaged for the Government

Salvaged items to remain the property of the Government shall be removed in a manner to prevent damage, packed or crated to protect the items from damage, or as directed by the Contracting Officer. Items damaged during removal or storage shall be repaired or replaced to match existing items. Containers shall be properly identified as to contents. The following items reserved as property of the Government shall be delivered to the areas designated: [\_\_\_\_\_].

### 3.3.3 Items Salvaged for the Using Service

The following items reserved as property of the using service will be removed prior to commencement of work under this contract: [\_\_\_\_\_].

#### 3.4 CLEAN-UP

Upon completion of the work, portions of structure to remain and adjacent areas and structures shall be cleaned of dust, dirt, and debris caused by salvage and demolition operations. Debris and rubbish shall be removed and transported in a manner that prevents spillage on streets or adjacent areas. Local regulations regarding hauling and disposal shall apply.

-- End of Section --