

248 MEDICAL MEDIA SERVICE

A. RECEPTION AND ADMINISTRATION AREAS

1. OFFICE, CHIEF (OFC01)

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F0635	Desk, Double Pedestal, 30 x 60 x 30	1	VV	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.	
F0280	Chair, Swivel, Low Back	2	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
F0110	Bookcase, 3 Shelf	1	VV	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.	
F0705	Table Small	1	VV	Small sized computer table, approximately 35" high X 36" wide X 30" deep with enough surface for a CPU, monitor and keyboard.	
M0425	Monitor, Television	1	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
F0405	Cabinet, Filing, Full Height, 4-5 Drawer	1	VV	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.	
F3010	Board, Bulletin, 48 x 48	1	VV	Open face bulletin board. Cork posting panel with moisture proof backing. Variety of frames to choose from. Used for posting notes and messages. [Model 1 is 36' H x 48' W.]	
A5145	Hook, Garment, Double, SS, Surface Mounted	1	VV	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

2. RECEPTION AND WAITING (RECP1)

F0305	Chair, Waiting Room, Single	AR	VV	Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.	
F0735	Table, Coffee	1	VV	Coffee table, approximately 18" high X 52" wide X 24" deep.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

3. WORKSTATION, SECRETARY / CLERK (SEC1)

F0640	Desk, Single Pedestal	1	VV	Single pedestal flat top desk, 30" high X 66" wide X 30" deep with right or left hand pedestal, one (1) box drawer, one (1) file drawer, modesty panel and floor glides. [Model 1 is 55" wide and has a mobile 2 drawer pedestal unit.]	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
F0110	Bookcase, 3 Shelf	1	VV	Freestanding open metal shelf book case, approximately 60" high X 36" wide X 18" deep with three (3) adjustable shelves and four (4) non-marking floor glides.	
F0405	Cabinet, Filing, Full Height, 4-5 Drawer	AR	VV	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.	
M1801	Computer	1	VV	Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	
F0102	Cabinet, Distribution, Mail	1	VV	Mail distribution cabinet. Horizontal style distribution boxes. Unit consists of adjustable horizontal dividers and/or adjustable shelves. Unit can be customized to fit the client needs. Used for mail distribution. [Model 1 has 24 mail slots. The other two models have 36 slots. Many other sizes and models available.]	

4. CLIENT REVIEW ROOM (CRA01)

F0755	Table, Conference Room	1	VV	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.	
F0295	Chair, Stacking	AR	VV	Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F3045	Whiteboard / Projection Screen, Cabinet	1	VV	Whiteboard / Projection screen with cabinet. Panels are porcelain over steel construction. Unit is a surface mounted cabinet with choice of cabinet doors constructed of either ebony lacquer, gray granite laminate or woodgrain finish.	
U1114	LCD Projector, Multimedia/Data	1	VV	The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 600 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 800 X 600 pixels (SVGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES

1. DIGITAL PHOTO, EDITING AND PRINTING AREA (MIPF1)

C04P1	Cabinet, Sink, U/C/B, 2 Door, 36x36x23	2	CF	Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible. [Jamestown Metal Products (94881) pricing verified.]	12302
CS150	Sink, SS, Single Compartment, 10x19x16 ID	1	CF	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. [Dimensions indicated in the nomenclature are inside dimensions and the dimensions indicated below the description are outside dimensions.]	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
CT030	Countertop, High Pressure Laminate	AR	CF	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.	
F2225	Projector, Overhead	AR	VV	Overhead transparency projector with hi-low lamp switch, thermal safety switch and 15 foot power cord. Convenience outlet required at point of use.	
U1178	Viewer, Opaque	1	VV	Opaque Viewer featuring automatic cut off switch to turn off the lamp when the top is opened to insert an original, a thermal switch protects against over heating, a bright 350W quartz halogen lamp that is fan cooled, combined with a sharp projection lens lets you project any type of photographic print, art work, opaque object, etc. up to 6x6" onto a wall screen.	
C02C2	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x24	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
U1070	Cold Mounting System	1	VV	Pressure/Adhesive transfer cold mounting system. Used for mounting laser and ink jet prints on cut sheets and rolls to board. Print sizes up to 42" in width by any length.	
		1	CC	Outlet, Wall, Compressed Air, 50 PSI Minimum	15491
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
U1051	Computer, Dual Display, Multimedia	AR	VV	Desk top microprocessing computer (Mac/PC) with Dual Display. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications are must meet or exceed recommended hardware requirements for current versions of photo and video editing software (Example: Adobe Photoshop)	
U1136	Printer, digital color	1	VV	Full color laser, ink jet or dye sub printer for high resolution photographic prints in matte and gloss finishes. Network capable	
F0230	Chair, Drafting, Rotary	AR	VV	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.	
C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	AR	CF	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.	12301
C04H0	Cabinet, U/C/B, 2 Half Drawer, 3 Drawer, 36x36x22	AR	CF	Standing height under counter base cabinet with two half width drawers side-by-side above three full width drawers. Also referred to as a drawer cabinet. For general purpose use throughout the facility. [Jamestown Metal Products (94881) pricing verified.]	12301

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
C02C2	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x24	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C05G0	Cabinet, U/C/B, 2 Shelf, 2 Door, 36x48x22	AR	CF	Standing height under counter base cabinet with two adjustable shelves and two solid hinged doors. Also referred to as a cupboard cabinet. For general purpose use throughout the facility. [Price difference verified.]	12301
C06M2	Cabinet, U/C/B, 1 PBD, 2 DR, 1 File DR, 30x18x24	AR	CF	Sitting height under counter base cabinet with a pullboard above two drawers and file drawer. Also referred to as a drawer cabinet. For general purpose use throughout the facility.	

2. DARKROOM, BLACK AND WHITE / COLOR PROCESSING / PRINTING (MIDR1)

U1089	Darkroom Door, Revolving ADA Compliant	1	CF	Two Way Revolving Darkroom Door Ramp - 54" Wheel Chair Threshold (ADA Compliant).	
U1101	Film Processor, Automatic	AR	VV	Film Processor: Develops color and black & white 35mm, 120, 220 roll film, 4x5" sheet film, as well as prints up to 8x10" with integral tempered water supply.	
U1092	Dryer, Film	1	VV	Film Drying Cabinet with forty rolls of 36 exposure 35mm film, or twenty rolls of 120 film capacity.	
U1155	Safelight, Darkroom	AR	CC	Red safelight for all standard photographic and litho orthochromatic materials, contact duplicating, and diffusion transfer materials. Ceiling mountable. Dimensions: 5-1/2 x 18 x 6".	
U1157	Sink, Photo Processing	AR	CF	Stainless steel photo processing sink: 22 gauge type 316L stainless steel, Holds up to 4-11 x 14" or 3-16 x 20" trays.	
U1077	Backsplash, Photoprocessing Sink with Plumbing Package	AR	CF	10" High Backsplash for 60" Long Economy Sink with preinstalled plumbing package.	
U1135	Print Trimmer	1	VV	Self-adjusting triple roller cutting head with range from 26" to 99" cut length. Some models offer electronically driven cutting heads driven by a steel reinforced belt, via a foot operated pneumatic switch, leaving both hands free for speedy repositioning. Chromed 1 1/2" square steel guide rail and all-metal construction. Self sharpening Sheffield tungsten steel cutting wheel and counterblade. Transparent clampstrip combines with rubber gripper for firm positive clamping	
U1132	Photo Enlargement Easel	AR	CC	4-Bladed Easel: Heavy gauge spring steel blades, precision designed guide rails made from aluminum extrusion, detachable masking blades for individual arrangement, three sided measuring scale, free moving blade carriage with securing lock, dual spring-loaded hinge and unique white viewing strips which aid in cropping and composition. Sizes range from 8"x10" to 20"x24"	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1099	Enlarger, Photo	AR	VV	Photo Enlarger: Quality die-cast construction. Colorhead has 0-200 continuously variable Yellow-Magenta-Cyan filtration. Extra long girder for bigger enlargements on the oversized baseboard. Robust, quadra-braced twin-column construction for twice the support. Lens stage tilts for special effects and distortion correction. Projection assembly tilts up to 90°. Positive rack-and-pinion elevation system with lock with convenient left or right focusing controls. Accepts sturdy, spring-loaded, aluminum alloy negative carriers that can be revolved for precise image positioning. Snap-in, quick change metal lens boards, with a swing-out below-the-lens accessory holder.	
U1080	Darkroom Cabinet 5-DR	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH 5 STANDARD DRAWERS, AVAILABLE WIDTHS - 381 mm, 457 mm, 533 mm, 610 mm, 686 mm, 762 mm, 838 mm, 914 mm (15", 18", 21", 24", 27", 30", 33", 36"); DEPTHS - 610 mm, 737 mm (24", 29"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1087	Darkroom Cabinet1 DO, 1 DR	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH SINGLE DRAWER AND SINGLE DOOR HINGED LEFT OR RIGHT, 1 ADJUSTABLE SHELF, AVAILABLE WIDTHS - 381 mm, 457 mm, 533 mm, 610 mm (15", 18", 21", 24"); DEPTH - 610 mm (24"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1083	Darkroom Cabinet, 2 DO, 1 DR	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH SINGLE DRAWER AND DOUBLE DOORS, 1 ADJUSTABLE SHELF, AVAILABLE WIDTHS - 686 mm, 762 mm, 838 mm, 914 mm (27", 30", 33", 36"); DEPTHS - 610 mm, 737 mm (24", 29"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1081	Darkroom Cabinet, 1 DO, 2 Shelves	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH SINGLE DOOR HINGED LEFT OR RIGHT, 2 ADJUSTABLE SHELVES, AVAILABLE WIDTHS - 381 mm, 457 mm, 533 mm, 610 mm (15", 18", 21", 24"); DEPTH - 610 mm (24"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1084	Darkroom Cabinet, 2 DO, 2 Shelves	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH DOUBLE DOORS, 2 ADJUSTABLE SHELVES, AVAILABLE WIDTHS - 686 mm, 762 mm, 838 mm, 914 mm (27", 30", 33", 36"); DEPTHS - 610 mm, 737 mm (24", 29"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1082	Darkroom Cabinet, 1 DR, 2 File Drawers	AR	CF	CABINET, UNDERCOUNTER, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH 1 STANDARD DRAWER AND 2 FILE DRAWERS, 381 MM (15") MODEL IS FOR LATERAL FILING, AVAILABLE WIDTHS - 381 mm, 457 mm, 533 mm, 610 mm (15", 18", 21", 24"); DEPTH - 610 mm (24"); HEIGHT - 914 mm (36"); FOR FLOOR MOUNTING ADD 127 mm (5") TOE BASE (KREONITE TYPE OR EQUIVALENT)	
U1088	Darkroom Countertop	AR	CF	COUNTER TOP, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, DECORATIVE, OVER HARDWOOD/PLYWOOD OR PARTICLE BOARD CORE, 32 mm (1-1/4") THICK (KREONITE TYPE OR EQUIVALENT)	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1086	Darkroom Cabinet, WH	AR	CF	CABINET, WALL, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, OPEN WITH SLOPING TOP AND 2 ADJUSTABLE SHELVES, AVAILABLE WIDTHS - 914 mm, 1219 mm (36", 48"); DEPTH - 330 mm (13"); HEIGHT - 762 mm (30"); (KREONITE TYPE OR EQUIVALENT)	
U1085	Darkroom Cabinet, Storage	AR	CF	CABINET, STORAGE, ALL HIGH PRESSURE CORROSIVE RESISTANT PLASTIC LAMINATE, WITH SLOPING TOP 2 HINGED PANEL DOORS, LOCK AND 5 ADJUSTABLE SHELVES, 1219 mm X 559 mm X 2134 mm (48" X 22" X 84"), (KREONITE TYPE OR EQUIVALENT)	
A5080	Dispenser, Paper Towel, SS, Surface Mounted	2	VV	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at	
P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	2	CF	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated.	
CS150	Sink, SS, Single Compartment, 10x19x16 ID	2	CF	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. [Dimensions indicated in the nomenclature are inside dimensions and the dimensions indicated below the description are outside dimensions.]	
U1108	Illumination, General White Lights	AR	CC	ILLUMINATION, GENERAL, WHITE LIGHTS	16510
U1118	Light, Inspection Point	AR	CC	LIGHT, INSPECTION, POINT WITH FOOT CONTROL, MINIMUM ONE EACH OVER SINK AND PROCESSOR	16510
U1131	Outlet, Compressed Air	AR	CC	OUTLET, WALL, COMPRESSED AIR, 50 PSI MINIMUM	15491
U1093	Dust Removal Unit	AR	VV	DUST REMOVAL UNIT, ELECTROSTATIC OR EQUIVALENT	

3. CAMERA COPY ROOM (MICL1)

U1075	Copy Stand, Transilluminated	1	VV	Copy Stand with 39" Calibrated Column with RTP Adjustable Camera Arm, Built-in Spirit Level and 25 x 22" Baseboard (17 x 14" Illuminated Area) and with four 13-watt daylight fluorescent lamps (5000 K)	
U1074	Copy Stand, Digital	1	VV	Document Copy Stand and 4 Mega-pixel Digital Camera.	
U1137	Projection Focusing System	2	VV	PROJECTION, FOCUSING SYSTEM	
CT030	Countertop, High Pressure Laminate	AR	CF	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
C02C2	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x24	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
CW080	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 95x30x16	1	CF	Floor standing storage cabinet with five adjustable shelves, framed glass hinged doors, and sloping top. Also referred to as a framed glass hinged double door case. For general purpose use throughout the facility. Also available in 36" (CW090) & 48" (CW100) widths	
C02D1	Cabinet, U/C/B, 4 Drawer, 36x24x23	AR	CF	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.	12301
C02C2	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x24	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C02C1	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x23	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C02C0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C05G0	Cabinet, U/C/B, 2 Shelf, 2 Door, 36x48x22	AR	CF	Standing height under counter base cabinet with two adjustable shelves and two solid hinged doors. Also referred to as a cupboard cabinet. For general purpose use throughout the facility. [Price difference verified.]	12301
THE FOLLOWING EQUIPMENT IS PROVIDED ONLY WHEN GROSS PATHOLOGY SPECIMEN PHOTOGRAPHY IS PERFORMED.					
CT060	Countertop, Modified Epoxy Resin	AR	CF	Modified epoxy resin countertop (composition of molded epoxy resins and inert materials) having a low sheen surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab areas requiring optimum physical and chemical resisting properties. [Pricing based on a one linear foot by 30 inch deep countertop.]	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
CS270	Sink, Epoxy Resin, 11x18x15 ID	2	CF	One-piece cast epoxy resin sink (composition of molded epoxy resins and inert materials) connected with a drain and provided with a mixing faucet. For use in U/C/B sink cabinets and mounted under the epoxy resin countertops/work surfaces found in lab areas requiring optimum physical chemical resisting properties. For general purpose use in a lab area. [Dimensions indicated in the nomenclature are inside dimensions and the dimensions indicated below the description are outside dimensions.]	
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	2	CF	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.	12301
C04E0	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 2 DO, 36x36x22	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above solid hinged doors. Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C02D0	Cabinet, U/C/B, 4 Drawer, 36x24x22	AR	CF	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.	12301
P1965	Eyewash, Eye/Face, Sink Mounted, Hands-free	1	CF	A sink mounted eyewash station. The unit is designed for emergency eye and face rinsing from soft flow dual spray-heads. The Flow must be activated by the single momentary action and remain on until terminated.	
A5075	Dispenser, Soap, Disposable	1	VV	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. [Based on infection control standards only soap dispensers refilled by means of a cartridge or replaceable bag are to be used.]	
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	VV	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at	

4. PHOTOMICROGRAPHY / PHOTOMACROGRAPHY ROOM (M1CL1)

L0115	Microscope, Photographic	1	VV	Photo-Microscope system. Unit produces crisp, high resolution images over the entire photo magnification range. The system includes focusing tube, coupler, shock mounted shutter, distortion-free amplifier lens, cable release and 35mm camera. The unit has a 7.5X magnification factor, halogen light source for color, balanced photomicrography, plan fluorite objectives for clarity and flatness of field for full image viewing and accurate image production and an automatic match of film to correct reciprocity. Other attachments are available. [Prices are determined by the manufacturers on an average configuration of the unit. Final price is dependent upon tailored options chosen.]	
U1163	Stereomicroscope with Imaging System	1	VV	The stepless zoom optics of the widefield MZ6 stereomicroscope make composition of sharp images on film, video or digital cameras an easy matter, and a wide range of accessories is available to address the most demanding subjects. Model: Leica MZ6 (Comparable Models Wild WCS 26, Nikon SMZ 800) Does not include camera.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
CT030	Countertop, High Pressure Laminate	AR	CF	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.	
U1131	Outlet, Compressed Air	1	CC	OUTLET, WALL, COMPRESSED AIR, 50 PSI MINIMUM	15491
U1108	Illumination, General White Lights	AR	CC	ILLUMINATION, GENERAL, WHITE LIGHTS, INCANDESCENT WITH DIMMER SWITCH	16510
U1093	Dust Removal Unit	AR	VV	DUST REMOVAL UNIT, ELECTROSTATIC OR EQUIVALENT	
M0425	Monitor, Television	1	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
M0430	Recorder / Player, Cassette, Video	AR	VV	Professional video cassette recorder / player, approximately 5" high X 15" wide X 14" deep with VHS, NTSC, PAL, SECAM, MESECAM video cassette recorder / player capacity; 10 X picture search forward and reverse; long pause mode; digital hour meter and channel 1 dubbing. Convenience outlet required at point of use. [No other source(s) identified with this description/specification. Sharp Electronics, Panasonic & Instant Replay Communications have all discontinued the worldwide VCR.]	
F2250	Camera, Portable, CCTV, With Recorder	AR	VV	Portable camera/recorder (camcorder) with video-out capacity to accommodate a remote recorder. [No other source(s) identified with this description/specification. Camera is powered by a battery pack but an AC adapter is available as an accessory.]	
U1052	Computer, Multimedia	AR	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	

5. STILL PHOTOGRAPHY AND VIDEO RECORDING STUDIO (MIST1)

U1121	Lighting, Studio, Rail System	1	VV	Studio Rail System. Includes: 2 Rails 13' Each, 2 Rails 9'10" Each, Brackets, Carriages, Spigots, End Stops, 3 Pantographs - Supports 3 Lights.	
U1052	Backdrop Motorized	1	VV	Motorized background system consisting of four motorized drives with power supply and cabled remote control. Also includes a set of two universal holders for 4 backgrounds, which may be hung from wall or ceiling. The total load capacity of this kit is 220 lbs (100kg).	
U1103	Generator, Gas Powered	AR	VV	Generator, portable, gas powered, 3 outlets at 115 vold, ac for 500 watts	
U1133	Photo Shooting Table	1	VV	Photo Shooting Table: 3 monolight, 480 total watt/second shooting table. The tabletop shooting table consists of an opaque base module and clear module, to use together or separately. Table is made of heavy-duty square-tube steel and rigid curved 24" wide plexiglass. It also includes a 24" Floor Stand. Holds approximately 25-30 lbs.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1069	Cloth Backdrop Track system, Semi-circular	1	VV	Cloth Background Curved Track System: Includes straight and curved track sections, one carrier, and one clip for every foot of track ordered. 3-wall system, with 36 ft of track. Hang one or more backgrounds on the same track, depending on the size of the studio. Allow rapid changing of cloth backgrounds, without climbing ladders, or rolling up previous backgrounds.	
U1164	Stool, Posing	1	VV	Posing Stool with comfortable 2" urethane cushioned steel seat, pneumatic control lever, adjusts seat from 20-30" high, protective dust cover, chrome plated cylinder, strong high impact nylon base for stability.	
CW130	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 98x30x22	AR	CC	Floor standing storage cabinet with five adjustable shelves, framed glass hinged doors, and sloping top. Also referred to as a framed glass hinged double door case. For general purpose use throughout the facility. Also available in 36" (CW130) & 48" (CW140) widths	12301
F0635	Desk, Double Pedestal, 30 x 60 x 30	1	VV	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1175	Tripod, Camera	AR	VV	Camera tripod with ball head and quick release. Capable of supporting over 15 lbs.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
U1105	Holder, Reflector	AR	VV	Holder for Collapsible Reflectors	
U1152	Reflector, Collapsible	AR	VV	Collapsible Reflector - 42" Circular - White/Silver	
U1119	Light, Softbox	AR	VV	500 Watt Tungsten Softbox Light.	
U1116	Light Set, Floor	AR	VV	4 Light Kit - consists of: 2-650LSM and 2-300LSM Fresnel Lights, Barndoors, Filter Frames, Scrims, Bulbs, Light Stands, Extension Cord, Wheeled Case - 1900 Total Watts (120V AC)	
U1117	Light Set, HMI Fresnel	AR	VV	125 Watt HMI Fresnel 1 Light Kit - consists of: 125 Watt HMI Fresnel. 125-200W DC Electronic Ballast, Cable, Barndoors, Filter Frame - NO HMI Bulb (24-30V DC).	
U1128	Monolight Set, Floor	AR	VV	Monolight Kit - includes: 4 - Constant Color Monolights, Softboxes, Reflectors, Barndoors, Sync Cord, Light Stands - 2000 Total Watt/Seconds (120V AC).	
U1160	Stand, Light	AR	VV	Aluminum Stand with Leveling Leg - Black - 24'	
U1098	Electrical Outlet	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, CEILING SUSPENDED 144" FROM BACKDROP WALL.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

6. TOILET / CHANGING ROOM (TLTU1)

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
P9050	Toilet, Wall Hung, Siphon Jet	1	CC	Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flush valve, seat with open front and check hinge, and carrier. Used throughout the health care facility in restrooms. [Flush valves are required but not manufactured by these companies. These companies generally sell through local distributors that do offer appropriate flush values based on utility specifications. Two leading manufacturers of commercial flush valves are Sloan and Delany.]	15450
A5109	Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible	1	CC	A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. [These manufacturers provide numerous configurations of these grab bars.]	10800
A5202	Dispenser, Toilet Paper w/Utility Shelf, SS, 2-Roll	1	CC	A concealed surface mounted, double roll, satin finish stainless steel, combination toilet tissue dispenser and utility shelf (minimum 5" depth). Unit accommodates two standard-core toilet tissue rolls through 6" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. [No other source(s) identified with this description/specification]	10800
P3000	Lavatory, Vitreous China, Straight Back	1	CC	Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.	15450
A5165	Shelf, 5" Depth, SS, Surface Mounted (18" width required)	1	CC	A surface mounted, satin finish stainless steel, shelf with a maximum depth of 5". Mounting brackets are welded to shelf. Shelf is available in various widths. For general purpose use in scrub areas/rooms or other areas of the facility where a SS shelf is required. Pricing based upon a 48" width.	
A5075	Dispenser, Soap, Disposable	1	VV	Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve. [Based on infection control standards only soap dispensers refilled by means of a cartridge or replaceable bag are to be used.]	
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	CC	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at	10800
A5145	Hook, Garment, Double, SS, Surface Mounted	AR	CC	A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.	10800

C. PRODUCTION AREAS: ILLUSTRATION SERVICE

1. WORKROOM, ILLUSTRATOR (MIST1)

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1170	Table, Drafting, Electric	1	VV	Electrically powered drafting table, with adjustable height. It has an H beam Electric Power Base with double foot rests, 2 electrical outlets & adjustable levelers. The top measures approximately 37 inches x 60 inches. It has minor marks & slight cuts but otherwise is in excellent condition. It raises automatically and functions perfectly. The top tilts from horizontal 180° to a vertical 90°.	
F0230	Chair, Drafting, Rotary	1	VV	Drafting chair approximately 47" high X 20" wide X 20" deep with rotary stool and a 5 (five) star base with casters. Padded seat and back. Foot ring adjusts with chair.	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
U1171	Taboret	1	VV	Taboret is made of hardwood and steel on black casters. Two 2 1/2" deep drawers lock simultaneously with key provided. Includes three PVC tubes and a metal storage rack on the sides of the unit to hold rolled media, maps and magazines. An open shelf at the bottom provides additional storage space. Dimensions are 13" wide x 16" deep	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.	
U1131	Outlet, Compressed Air	1	CC	OUTLET, WALL, COMPRESSED AIR, 50 PSI MINIMUM	15491
U1134	Pressure Regulator	1	VV	REGULATOR, AIR, 0 TO 50 PSI	
U1055	Airbrush and Compressor	1	VV	Air brush with all purpose nozzle/needle, attachable jar, additional jar with cover, extra nozzle / needle, air hose with varying air source fitting, trigger pad, protective cap. Mini compressor is an Oil-less Maintenance-Free 1/8HP Auto-Stop (Preset at 60 PSI)	
U1108	Illumination, General White Lights	AR	CC	ILLUMINATION, GENERAL, WHITE LIGHTS	16510
F2000	Basket, Wastepaper, Round, Metal, 18 H x 16 Dia	1	VV	Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.	
F2020	Can, Trash, 44 Gallon	1	VV	Forty four (44) gallon trash can, 32" high X 24" diameter, with lid. Used to collect and transport refuse from a point of origin to point of disposal (example: from soiled utility or a nursing unit to the trash compactor at housekeeping).	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

2. ILLUSTRATION PREPARATION ROOM (MIST1)

CS150	Sink, SS, Single Compartment, 10x19x16 ID	1	CF	Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. Coordinate actual outside sink dimensions with the actual clear dimension of cabinet specified to ensure that they are compatible. For general purpose use throughout the facility. [Dimensions indicated in the nomenclature are inside dimensions and the dimensions indicated below the description are outside dimensions.]	
A5080	Dispenser, Paper Towel, SS, Surface Mounted	1	VV	A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at	
A5165	Shelf, 5" Depth, SS, Surface Mounted (18" width required)	1	CC	A surface mounted, satin finish stainless steel, shelf with a maximum depth of 5". Mounting brackets are welded to shelf. Shelf is available in various widths. For general purpose use in scrub areas/rooms or other areas of the facility where a SS shelf is required. Pricing based upon a 48" width.	
CT030	Countertop, High Pressure Laminate	AR	CF	High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.	
C02D1	Cabinet, U/C/B, 4 Drawer, 36x24x23	AR	CF	Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.	12301
C02C2	Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x24	AR	CF	Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.	12301
C02Q0	Cabinet, Sink, U/C/B, 1 Door, 36x24x22	1	CF	Standing height under counter base sink cabinet with a solid right or left-hinged door (appropriate door configuration to be indicated on equipment elevation drawings). Also referred to as a single-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
CG040	Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 38x36x13	AR	CF	Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility.	12301
U1109	ILLUMINATION, GENERAL, WHITE LIGHTS	AR	CC	ILLUMINATION, GENERAL, WHITE LIGHTS, INCANDESCENT WITH DIMMER SWITCH	16510
U1176	Typesetter, Manual	1	VV	TYPESETTER, MANUAL, WITH COMPUTER INTERFACE (MERLIN OR EQUIVALENT)	
U1100	Enlarger/Reducer, Graphic	1	VV	ENLARGER/REDUCER, GRAPHIC, APPROXIMATELY, 914 mm X 914 mm (36" X 36")	
U1158	Spraybooth, Airbrush	1	VV	Features large 20" x 25 " (51 x 64 cm) work area to accommodate flat or 3-D objects up to 18" x 23", while fitting comfortable on a counter top. Powerful 2-speed fan and 4-stage dual carbon filter system ensure a cleaner and safer work environment. An external exhaust adapter is available for venting out-of-doors. Filter housing adjusts from 0° to 45° for the most suitable angle for even spraying. Replaceable filters and spray guard hood Highly efficient Variable airflow: High Speed - 365 CFM; Low Speed - 200 CFM Width: 25" Depth: 22" Height: 25" Weight: 45 lbs. Electrical: 115V, 85-watts	
U1169	Table, Drafting	1	VV	Drafting Table: Heavy-gauge 4-post steel base with stabilizing bars on the bottom. Angle of board adjusts easily up to 50° without tools. Unit includes a 12-1/2" x 29-3/4" locking tool drawer and a 38-1/8" x 28-3/4" reference drawer. sturdy 1" drafting boards with a non-glare green laminate finish and smooth edges. Gray baked enamel finish.	
U1106	Holder, Sheet, High Density	AR	VV	Square Tube With 32- 3" square tubes for high density filing of sheets 24-42" wide.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

3. ELECTRONIC GRAPHIC DESIGN AND PUBLISHING (MIST1)

F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1052	Computer, Multimedia	AR	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
M7780	Scanner, Document	1	VV	Scanner for recording printed material in an electronic format. Some models process both color and black-and-white images. Options include automatic paper feeders and transparency adapters. Most models require connection to a microcomputer for independent operation or use as part of a network. Larger models for high use applications which connect directly to a network without passing information through a microcomputer are available. [Price difference verified.]	
F0405	Cabinet, Filing, Full Height, 4-5 Drawer	1	VV	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

D. PRODUCTION AREAS: AUDIOVISUAL SERVICE

1. VIDEO EDITING / CCTV CONTROL ROOM VIDEO DISTRIBUTION (XXYYZ)

NOTE: THE FOLLOWING EQUIPMENT IS PROVIDED FOR THE WORKROOM FOR EACH AV SPECIALIST.

U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1053	Computer, Multimedia (non-linear digital video editing)	1	VV	Desk top microprocessing computer for non-linear, digital-video editing. The unit shall consist of a central processing mini tower, dual-flat panel monitos, keyboard, mouse and speakers. Unit should be comprised of up-to-date CPU speed and memory suitable for computer-video editing.	
U1166	Storage, Hard Drive Array	1	VV	3.75 TB HD External Hard Drive Array spread across 5 750 GB drives, all of which are hot swappable. A PCI-X eSATA controller card and cables are included. Can be configured in several configurations, including RAID 0 for maximum performance, RAID 1 for data mirroring or as JBOD allowing you to access each hard drive as a separate volume. The SATA 3 Gb/s connection delivers sustained data transfer rates of up to 230 MB/sec	
M2050	Shelving, Storage, 75"H X 36"W X 14"D	2	VV	Storage shelving unit. Unit is corrosion resistant stainless steel, galvanized steel or baked enamel on steel. It contains 5 adjustable shelves with 400 pound load capacity. Available in open or closed (end panels) designs. Unit is designed for storage and light industrial applications. [Price difference verified.]	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F0405	Cabinet, Filing, Full Height, 4-5 Drawer	1	VV	Four (4) or five (5) drawer letter size, vertical filing cabinet, 53" high X 15" wide X 29" deep with locking device. Each drawer has label holder, handle and roller cradle.	
F0210	Chair, Side, Without Arms	1	VV	Upholstered side chair approximately 32" high X 19" wide X 23" deep with floor glides. Seat is non-tilting and without arms.	
U1145	Recorder, Video, Betacam SP	1	VV	Studio editing recorder featuring legacy playback ability to enable archived Betacam footage can be used whether it is digital or analog based.	
U1141	Recorder, Digital Video	1	VV	Digital recorder used to output both SD and HD content simultaneously as well as having full connectivity to external media storage devices. At its highest quality, the deck will store up to 10 hours and up to 40 hours if extended run-time used. Equipped with Iomega REV Drive Built-In to provide unlimited storage.	
U1174	Timer, Video Player	AR	VV	Timer, Video Player	
M0425	Monitor, Television	AR	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
U1094	DVD Player	AR	VV	Professional DVD Video, CD Video and CD Audio CD-R/W, DVD-R Player, Progressive Scan, Multi System, RS232 Serial Port.	
U1097	D-VHS, SVHS, VHS Recorder/Player	AR	VV	D-VHS digital player and recorder. It uses the MPEG-2 codec for recording standard NTSC sources. The VCR can record from Firewire, S-Video or Composite Video sources like camcorders, cable boxes or standard TV tuners. (It has a tuner built-in.) Content can be played on HDTV sets with 1080i, 720p, 480i or 480p displays. It is also D-Theater compliant so it can play any D-Theater prerecorded tape. For HDTV playback, the HMD-H5U is compatible with all 18 ATSC broadcasting formats. can be used as a standard VCR and record in VHS or higher quality SVHS formats. A built-in TV tuner with a 1 year/24 program timer lets it replace your old VCR completely. It even has VCR+ for automated recording schedules and "Plug and Play" tuner and clock set-ups.	
U1140	Receiver, Satellite Transmission	AR	VV	Receiver, Satellite Transmission	
U1078	Digital Audio Mixer	1	VV	Digital Recording Mixer featuring 56 Channels & Flexible Routing, complete 5.1 surround solution with Joystick style panning and a comprehensive graphic monitor displaying multichannel surround/pan position, high quality converters & head amplifiers with 24-bit 96kHz resolution. advanced effects & dynamics processing analog-style user interface allowing static changes without frequently referring to the LCD monitor.	
U1179	Waveform Vectorscope	1	VV	Waveform monitor capable of reading analog component video signals; it has the ability of measuring both Standard Definition and High Definition video signals utilizing 3-Wire component signals. Measurement of stair step, component vectors, full line select and picture monitor output	

2. MATV / CCTV DISTRIBUTION HEADEND (XXYYZ)

NOTE: THE FOLLOWING EQUIPMENT IS PROVIDED FOR CLOSED CIRCUIT TELEVISION (CCTV) DISTRIBUTION.

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
M2050	Shelving, Storage, 75"H X 36"W X 14"D	AR	VV	Storage shelving unit. Unit is corrosion resistant stainless steel, galvanized steel or baked enamel on steel. It contains 5 adjustable shelves with 400 pound load capacity. Available in open or closed (end panels) designs. Unit is designed for storage and light industrial applications. [Price difference verified.]	
U1122	Master Antennae Array	AR	VV	Master Antennae Array	
U1140	Receiver, Satellite Transmission	AR	VV	Receiver, Satellite Transmission	
U1057	Amplifier, Distribution	1	VV	CCTV Launch Amplifier, Broadband	
U1072	Converter, Digital-Analog	AR	VV	DTV-Analog Converter: Sixteen channel digital to analog converter, housed in a single rack space chassis.	
M0425	Monitor, Television	AR	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
U1124	Modulator	AR	VV	Agile, Channelized processor, RF/DTV	
U1129	Multiplexor	AR	VV	Output Combiner	
U1063	Cable Signal distribution System	1	VV	Push-Pull Trunk Station for Cable Signal Distribution	
U1054	Computer, Video Server	AR	VV	Computer server for MPEG video distribution	
U1156	Satallite Receiver, Audio	AR	VV	AM/FM, Satellite Receiver, Audio	
U1059	Audio Processor	AR	VV	Audio Processor with Notch Filtered Feedback Suppression	

E. PRODUCTION AREAS: CENTRAL COPY CENTER SERVICE

1. CENTRAL COPY CENTER (XXYYZ)

U1073	Copier/Printer, Production	AR	VV	Copier/Printer, High speed, digital, black and white (color), 100 to 150 pages per minute. Sorting and collating features. On line stitching and folding desired. Multiple drawers and high speed document scanner.	
U1102	Folding, paper	AR	VV	High speed folding machine up to 11x17" paper.	
U1091	Drill, 3-bit	AR	VV	Heavy duty 3-hole drill press	
U1076	Cutter, paper	AR	VV	Heavy duty hydraulic paper cutter. Cut up to 500 sheets of 24 lb paper	
U1162	Stapler, heavy duty	AR	VV	Electric stapler, foot operated, heavy duty up to 150 sheets of paper	
U1062	Binding, spiral	AR	VV	Heavy duty spiral binder, binds up to 250 sheets, 11x17". Electronic hole puncher with automatic or manual spiral mounting	
U1111	Jogger, paper	AR	CC	Electronic paper jogger. Provides proper alignment of sheets of paper and dissipates static from paper.	
U1113	Laminator, roll	AR	VV	Laminator, heat bond, electrical, plastic laminate on roll, 18-36" wide by 100 feet.	
U1112	Laminator, cut sheet	AR	VV	Laminator, heat bond, electrical, cut sheet plastic. Card size to 11x17"	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	AR	VV	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. [No other source(s) identified with this description/specification]	

2. STORAGE, PAPER / SUPPLY (SRE01)

Note: Please annotate any requirement differing from standard storage room.

M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	AR	VV	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. [No other source(s) identified with this description/specification]	
-------	--	----	----	---	--

F. SUPPORT AREAS

1. STORAGE, MMS (SRE01)

M2050	Shelving, Storage, 75"H X 36"W X 14"D	AR	VV	Storage shelving unit. Unit is corrosion resistant stainless steel, galvanized steel or baked enamel on steel. It contains 5 adjustable shelves with 400 pound load capacity. Available in open or closed (end panels) designs. Unit is designed for storage and light industrial applications. [Price difference verified.]	
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	AR	VV	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. [No other source(s) identified with this description/specification]	
R7000	Refrigerator, 14 Cubic Feet	1	VV	This is a 14 Cubic Foot frostless top mount refrigerator/freezert approximately 64" H x 28" W x 29" D. Combination unit that is used in households or other areas where general purpose storage of perishable items is required.	
U1068	Case, Map File	AR	VV	Case, Map File, for Illustration Board Storage, Approximately., 914 mm X 1219 mm (36" X 48")	
U1165	Storage, Foam Core	AR	VV	FOAM CORE STORAGE, 2438 mm X 1219 mm (96" X 48")	

2. STORAGE, MMEC (SRE01)

M2050	Shelving, Storage, 75"H X 36"W X 14"D	AR	VV	Storage shelving unit. Unit is corrosion resistant stainless steel, galvanized steel or baked enamel on steel. It contains 5 adjustable shelves with 400 pound load capacity. Available in open or closed (end panels) designs. Unit is designed for storage and light industrial applications. [Price difference verified.]	
-------	---------------------------------------	----	----	--	--

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	AR	VV	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. [No other source(s) identified with this description/specification]	
R7000	Refrigerator, 14 Cubic Feet	1	VV	This is a 14 Cubic Foot frostless top mount refrigerator/freezert approximately 64" H x 28" W x 29" D. Combination unit that is used in households or other areas where general purpose storage of perishable items is required.	
U1068	Case, Map File	AR	VV	Case, Map File, for Illustration Board Storage, Approximately., 914 mm X 1219 mm (36" X 48")	
U1165	Storage, Foam Core	AR	VV	FOAM CORE STORAGE, 2438 mm X 1219 mm (96" X 48")	

3. AUDIOVISUAL (AV) EQUIPMENT STORAGE / CHECK-OUT ROOM (SRE01)

E0721	Table, Process, Adj Height, 20 Drawer, 72"W x 36"D	AR	VV	THIS TYPICALLY INCLUDES: 1 Height Adjustable Table; 8 Storage Frames; 4 Drawers, 3"H (76mm); 12 Drawers, 6"H (152mm); 4 Drawers, 9"H (229mm); Drawer organizer bins	
CW080	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 95x30x16	AR	VV	Floor standing storage cabinet with five adjustable shelves, framed glass hinged doors, and sloping top. Also referred to as a framed glass hinged double door case. For general purpose use throughout the facility. Also available in 36" (CW090) & 48" (CW100) widths	
M2050	Shelving, Storage, 75"H X 36"W X 14"D	AR	VV	Storage shelving unit. Unit is corrosion resistant stainless steel, galvanized steel or baked enamel on steel. It contains 5 adjustable shelves with 400 pound load capacity. Available in open or closed (end panels) designs. Unit is designed for storage and light industrial applications. [Price difference verified.]	
M2055	Shelving, Storage, Wire, CRS, w/Adjustable Shelves	AR	VV	Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. [No other source(s) identified with this description/specification]	
U1067	Cart, Mobile, Multimedia	AR	VV	34-inch tall mobile projector cart with 3 tiers features a 24 x 18" top platform-- for 17-20" TVs, copiers, or mid-sized projectors.	
F0835	Stand, Projection	AR	VV	Mobile projection stand with electrical outlet. Equipped with four (4) swivel casters with anti-shimmy spring cups, non-marking wheels, two (2) locking, and shelf storage. Convenience outlet required at point of use. [Model 3 height is adjustable from 27" to 41".]	
M0425	Monitor, Television	AR	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
F0445	Cabinet, Storage, Data Processing	AR	VV	Data processing storage cabinet. This unit is a multi-media storage cabinet. Characteristic and components include lock and roll out bin drawer. This unit is constructed of sturdy steel. [Roll out bins do not come standard on this cabinet, but are available as an accessory. No other source(s) identified with this description/specification.]	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F0470	Cabinet, Television / Video Recorder	AR	VV	Television / video cabinet with one (1) shelf for a television set, one (1) shelf for a video recorder, and additional space for storage. Locking doors for added security.	
U1058	Amplifier, Video Distribution	AR	VV	1x15 video distribution amplifier; capable of distributing 15 RGBHV signals from a single source. This device can be reconfigured to pass RGB, RGBS, or YUV component video.	
U1056	Amplifier, Audio	AR	VV	Amplifier, Audio	
U1096	DVD/VHS Recorder/Player Combination	AR	VV	DVD/VHS Dual Deck Player/Recorder: VHS/VCR Player and DVD Recorder to DVD+RW and DVD-RW. Includes VHS Progressive Scan.	
U1095	DVD Recorder/Player	AR	VV	Multidrive Multiformat DVD Recorder with 160 GB Hard Drive providing two convenient recording choices. You can record your video content either to the hard disk or to the DVD discs (DVD-RAM, DVD-R or DVD-RW). Recorder also serves as player for many different media formats such as DVD-Video, Video CD, and CD-R and CD-RW discs with recorded MP3 and WMA files. The hard disk can store up to 135 hours of video content, depending on the quality. The DVD recorder has one IEEE-1394 DV input to connect and store video content from a DV camcorder.	
F2105	Lectern, Mobile, With Self Contained Audio	AR	VV	Portable floor lectern with built-in public address system. May use 110V or batteries (not included). Convenience outlet required at point of use if not using batteries.	
F2225	Projector, Overhead	AR	VV	Overhead transparency projector with hi-low lamp switch, thermal safety switch and 15 foot power cord. Convenience outlet required at point of use.	
U1138	Projector, Slide	AR	VV	Slide Projector with 85mm f/2.8 lens, autofocus, ferris wheel-like slide trays, and 150W lamp	
U1079	Digital Audio Recorder	AR	VV	Compact 2-channel live recording device consisting of portable USB recorder and 1GB Jumpdrive providing 1 GB of storage, allowing up to 16.5 hours of MP3 recording time at 128Kbps.	
		AR	VV	AUDIO PLAYER, SOUND	
U1154	RF Unit	AR	VV	MINI Compact RF Coaxial Modulator - Composite (RCA), Stereo Audio (RCA), Antenna Input to Channel 3 or 4 Output	
U1114	LCD Projector, Multimedia/Data	AR	VV	The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 600 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 800 X 600 pixels (SVGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.	

4. VIDEO-TELECONFERENCING ROOM (XXYYZ)

F0755	Table, Conference, Wood	1	VV	Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.	
F0220	Chair, Conference	AR	VV	Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.	
F3030	Board, Scheduling, Magnetic, 36 X 48	2	VV	Magnetic scheduling board. Porcelain enamel magnetic surface. Used for letter transferring while posting messages or scheduling. For use with marker pens.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
M0401	Screen, Projection, 50 X 50	1	CC	Pull down, roll-up projection screen. Wall or ceiling mounted. Size of this screen permits use in small classrooms or conference rooms. Many other sizes available.	
U1177	Video Teleconferencing System IP BASED	1	VV	Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.	
U1114	LCD Projector, Multimedia/Data	1	VV	The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 600 ANSI (American National Standards Institute) Lumens, and a minimum resolution format of 800 X 600 pixels (SVGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications are based on recommended hardware requirements for current versions of photo and video editing software (Example: Adobe Photoshop)	
M1825	Printer, Computer	1	VV	High resolution computer printer with a variety of type styles and sheet/envelope feeder trays. Database information reflects network ready, medium duty office style laser printers. Other types of printers (bubble jet, dot matrix, line or plotter) as well as light or heavy use capabilities are available.	
F2105	Lectern, Mobile, With Self Contained Audio	1	VV	Portable floor lectern with built-in public address system. May use 110V or batteries (not included). Convenience outlet required at point of use if not using batteries.	

6. MEDICAL MEDIA VISN SUPPORT SITE (MMVSS)

A. MMVSS RECEPTION AND ADMINISTRATION AREAS

1. RECEPTION (RECP1)

See Above: 5.A. RECEPTION AND ADMINISTRATIVE AREAS, 2. RECEPTION AND WAITING (RECP1)

2. WORKSTATION, SECRETARY / CLERK (SEC01)

See Above: 5.A. RECEPTION AND ADMINISTRATIVE AREAS, 3. WORKSTATION, SECRETARY/CLERK (SEC1)

3. OFFICE, CHIEF OF MEDIA SERVICES (OFA01)

See Above: 5.A. RECEPTION AND ADMINISTRATIVE AREAS, 1. OFFICE, CHIEF (OFC01)

4. CLIENT REVIEW ROOM (CRA01)

See Above: 5.A. RECEPTION AND ADMINISTRATIVE AREAS, 4. CLIENT INTERVIEW ROOM (CRA01)

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
-----	------	-----	-----------	-------------	------

B. MMVSS PRODUCTION AREAS: PHOTOGRAPHY SERVICE

1. DIGITAL PHOTO, EDITING, AND PRINTING AREA (XXYYZ)

See Above: 5.B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES, 1. DIGITAL PHOTO, EDITING AND PRINTING AREA (MIPF1)

2. DARKROOM, BLACK AND WHITE / COLOR PROCESSING / PRINTING (MIDR1)

See Above: 5.B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES, 2. DARKROOM, BLACK AND WHITE / COLOR PROCESSING / PRINTING (MIDR1)

3. CAMERA COPY ROOM (MIST1)

See Above: 5.B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES, 3. CAMERA COPY ROOM (MICL1)

4. PHOTOMICROGRAPHY / PHOTOMACROGRAPHY ROOM (MICL1)

See Above: 5.B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES, 4. PHOTOICROGRAPHY / PHOTOMACROGRAPHY / ROOM (MICL1)

5. STILL PHOTOGRAPHY STUDIO (MIST1)

U1121	Lighting, Studio, Rail System	1	VV	Studio Rail System. Includes: 2 Rails 13' Each, 2 Rails 9'10" Each, Brackets, Carriages, Spigots, End Stops, 3 Pantographs - Supports 3 Lights.	
U1060	Backdrop Motorized	1	VV	Motorized background system consisting of four motorized drives with power supply and cabled remote control. Also includes a set of two universal holders for 4 backgrounds, which may be hung from wall or ceiling. The total load capacity of this kit is 220 lbs (100kg).	
U1103	Generator, Gas Powered	AR	VV	GENERATOR, PORTABLE, GAS POWERED, 3 OUTLETS AT 115 VOLT, AC FOR 500 WATTS	
U1133	Photo Shooting Table	1	VV	Photo Shooting Table: 3 monolight, 480 total watt/second shooting table. The tabletop shooting table consists of an opaque base module and clear module, to use together or separately. Table is made of heavy-duty square-tube steel and rigid curved 24" wide plexiglass. It also includes a 24" Floor Stand. Holds approximately 25-30 lbs.	
U1069	Cloth Backdrop Track system, Semi-circular	1	VV	Cloth Background Curved Track System: Includes straight and curved track sections, one carrier, and one clip for every foot of track ordered. 3-wall system, with 36 ft of track. Hang one or more backgrounds on the same track, depending on the size of the studio. Allow rapid changing of cloth backgrounds, without climbing ladders, or rolling up previous backgrounds.	
U1164	Stool, Posing	1	VV	Posing Stool with comfortable 2" urethane cushioned steel seat, pneumatic control lever, adjusts seat from 20-30" high, protective dust cover, chrome plated cylinder, strong high impact nylon base for stability.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
CW130	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 98x30x22	AR	CC	Floor standing storage cabinet with five adjustable shelves, framed glass hinged doors, and sloping top. Also referred to as a framed glass hinged double door case. For general purpose use throughout the facility. Also available in 36" (CW130) & 48" (CW140) widths	12301
F0635	Desk, Double Pedestal, 30 x 60 x 30	1	VV	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1175	Tripod, Camera	AR	VV	Camera tripod with ball head and quick release. Capable of supporting over 15 lbs.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
U1105	Holder, Reflector	AR	VV	Holder for Collapsible Reflectors	
U1152	Reflector, Collapsible	AR	VV	Collapsible Reflector - 42" Circular - White/Silver	
U1119	Light, Softbox	AR	VV	500 Watt Tungsten Softbox Light.	
U1116	Light Set, Floor	AR	VV	4 Light Kit - consists of: 2-650LSM and 2-300LSM Fresnel Lights, Barndoors, Filter Frames, Scrims, Bulbs, Light Stands, Extension Cord, Wheeled Case - 1900 Total Watts (120V AC)	
U1117	Light Set, HMI Fresnel	AR	VV	125 Watt HMI Fresnel 1 Light Kit - consists of: 125 Watt HMI Fresnel. 125-200W DC Electronic Ballast, Cable, Barndoors, Filter Frame - NO HMI Bulb (24-30V DC).	
U1128	Monolight Set, Floor	AR	VV	Monolight Kit - includes: 4 - Constant Color Monolights, Softboxes, Reflectors, Barndoors, Sync Cord, Light Stands - 2000 Total Watt/Seconds (120V AC).	
U1160	Stand, Light	AR	VV	Aluminum Stand with Leveling Leg - Black - 24'	
		1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, CEILING SUSPENDED 3658 mm (144") FROM BACKDROP WALL	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

6. TOILET / CHANGING ROOM (TLTU1)

See Above: 5.B. PRODUCTION AREAS: PHOTOGRAPHY SERVICES, 6. TOILET / CHANGING ROOM (TLTU1)

C. MMVSS PRODUCTION AREAS: ILLUSTRATION SERVICE

1. WORKROOM, ILLUSTRATOR (MIST1)

See Above: 5C. PRODUCTION AREAS: ILLUSTRATION SERVICE, 1. WORKROOM, ILLUSTRATOR (MIST1)

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
-----	------	-----	-----------	-------------	------

2. ILLUSTRATION PREPARATION ROOM (MIST1)

See Above: 5C. PRODUCTION AREAS: ILLUSTRATION SERVICE, 2. ILLUSTRATION, PREPARATION ROOM (MIST1)

3. ELECTRONIC GRAPHIC DESIGN AND PUBLISHING (MIST1)

See Above: 5C. PRODUCTION AREAS: ILLUSTRATION SERVICE, 3. ELECTRONIC GRAPHIC DESIGN AND PUBLISHING (MIST1)

D. MMVSS PRODUCTION AREAS: AUDIOVISUAL SERVICE

1. VIDEO RECORDING STUDIO (XXYYZ)

U1121	Lighting, Studio, Rail System	1	VV	Studio Rail System. Includes: 2 Rails 13' Each, 2 Rails 9'10" Each, Brackets, Carriages, Spigots, End Stops, 3 Pantographs - Supports 3 Lights.	
U1060	Backdrop Motorized	1	VV	Motorized background system consisting of four motorized drives with power supply and cabled remote control. Also includes a set of two universal holders for 4 backgrounds, which may be hung from wall or ceiling. The total load capacity of this kit is 220 lbs (100kg).	
U1103	Generator, Gas Powered	AR	VV	GENERATOR, PORTABLE, GAS POWERED, 3 OUTLETS AT 115 VOLT, AC FOR 500 WATTS	
U1133	Photo Shooting Table	1	VV	Photo Shooting Table: 3 monolight, 480 total watt/second shooting table. The tabletop shooting table consists of an opaque base module and clear module, to use together or separately. Table is made of heavy-duty square-tube steel and rigid curved 24" wide plexiglass. It also includes a 24" Floor Stand. Holds approximately 25-30 lbs.	
U1069	Cloth Backdrop Track system, Semi-circular	1	VV	Cloth Background Curved Track System: Includes straight and curved track sections, one carrier, and one clip for every foot of track ordered. 3-wall system, with 36 ft of track. Hang one or more backgrounds on the same track, depending on the size of the studio. Allow rapid changing of cloth backgrounds, without climbing ladders, or rolling up previous backgrounds.	
U1164	Stool, Posing	1	VV	Posing Stool with comfortable 2" urethane cushioned steel seat, pneumatic control lever, adjusts seat from 20-30" high, protective dust cover, chrome plated cylinder, strong high impact nylon base for stability.	
CW130	Cabinet, Floor Standing, 5 SH, 2 GDO, ST, 98x30x22	AR	CC	Floor standing storage cabinet with five adjustable shelves, framed glass hinged doors, and sloping top. Also referred to as a framed glass hinged double door case. For general purpose use throughout the facility. Also available in 36" (CW130) & 48" (CW140) widths	12301
F0635	Desk, Double Pedestal, 30 x 60 x 30	1	VV	Double pedestal flat top desk, 30" high X 60" wide X 30" deep with center pencil drawer, choices of combinations of file and box drawers, floor glides and modesty panel.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1175	Tripod, Camera	AR	VV	Camera tripod with ball head and quick release. Capable of supporting over 15 lbs.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications must meet or exceed recommended hardware requirements for most current versions of photo and video editing software (Example: Adobe Photoshop)	
U1105	Holder, Reflector	AR	VV	Holder for Collapsible Reflectors	
U1152	Reflector, Collapsible	AR	VV	Collapsible Reflector - 42" Circular - White/Silver	
U1119	Light, Softbox	AR	VV	500 Watt Tungsten Softbox Light.	
U1116	Light Set, Floor	AR	VV	4 Light Kit - consists of: 2-650LSM and 2-300LSM Fresnel Lights, Barndoors, Filter Frames, Scrims, Bulbs, Light Stands, Extension Cord, Wheeled Case - 1900 Total Watts (120V AC)	
U1117	Light Set, HMI Fresnel	AR	VV	125 Watt HMI Fresnel 1 Light Kit - consists of: 125 Watt HMI Fresnel. 125-200W DC Electronic Ballast, Cable, Barndoors, Filter Frame - NO HMI Bulb (24-30V DC).	
U1128	Monolight Set, Floor	AR	VV	Monolight Kit - includes: 4 - Constant Color Monolights, Softboxes, Reflectors, Barndoors, Sync Cord, Light Stands - 2000 Total Watt/Seconds (120V AC).	
U1160	Stand, Light	AR	VV	Aluminum Stand with Leveling Leg - Black - 24'	
U1098	Electrical Outlet	1	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, CEILING SUSPENDED 3658 mm (144") FROM BACKDROP WALL	
U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
U1144	Recorder, Video Tape	AR	VV	Recorder, Video Tape	
M0425	Monitor, Television	1	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
U1130	Ocilloscope	1	VV	Oscilloscope: Features include: High Sensitivity, band limiting to 15 MHz on the most sensitive ranges; Delayed Sweep, to closely examine small parts of the main time base; Trigger Lock, a trigger lock function establishes the trigger point within the peak to peak signal swing and ensures solid triggering despite wide variations in signal excursions. Standard features: Level Lock, Alternate Triggering, CH 1 Output, Z Axis Input, 10 ns/div Maximum Speed Sweep	
U1142	Recorder, Sound	1	VV	Recorder, Sound	
U1078	Digital Audio Mixer	1	VV	Digital Recording Mixer featuring 56 Channels & Flexible Routing, complete 5.1 surround solution with Joystick style panning and a comprehensive graphic monitor displaying multichannel surround/pan position, high quality converters & head amplifiers with 24-bit 96kHz resolution. advanced effects & dynamics processing analog-style user interface allowing static changes without frequently referring to the LCD monitor.	
U1126	Monitor, Sound	AR	VV	Monitor, Sound	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1056	Amplifier, Audio	AR	VV	2-Channel power amplifier housed in a 2-space rackmount frame, offering power levels and features meant to serve fixed installation sound applications. Completely independent array of switches and indicators for each channel, including high and low impedance operation, input sensitivity, high pass filters, and an advanced level of well designed overload protection circuitry. Includes a PIP-USP3/CN module for networked controlling via either HiQnet and System Architect or TCP/IQ and IQwic.	
U1138	Projector, Slide	AR	VV	Slide Projector with 85mm f/2.8 lens, autofocus, ferris wheel-like slide trays, and 150W lamp	
U1065	Camera, TV, Mobile with Monitor	AR	VV	Camera, TV, Mobile with Monitor	
U1120	Lighting, Assembly Station	AR	VV	Lighting, Assembly Station	
U1115	Light Meter	AR	VV	Light Meter	
U1159	Stand, Camera	AR	VV	Stand, Camera	
U1064	Camera, Motion Picture, 16mm	AR	VV	Camera, Motion Picture, 16mm	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

2. STUDIO CONTROL ROOM (XXYYZ)

NOTE: THE FOLLOWING EQUIPMENT IS PROVIDED FOR AUDIOVISUAL RECORDING AND CONTROL:

U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
U1066	Cart, Mobile	AR	VV	Mobile Cart for Portable AV Equipment	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1179	Waveform Vectorscope	1	VV	Waveform monitor capable of reading analog component video signals; it has the ability of measuring both Standard Definition and High Definition video signals utilizing 3-Wire component signals. Measurement of stair step, component vectors, full line select and picture monitor output	
U1071	Controller, Production, Audio, Television	1	VV	Controller, Production, Audio, Television	
U1168	Switcher, Signal Distribution, Television	1	VV	Switcher, Signal Distribution, Television	
U1167	Switcher, Production, Television	1	VV	Switcher, Production, Television	
U1125	Monitor, Audio	1	VV	Monitor, Audio	
U1151	Recorder-Reproducer, Video, Tape Reel	1	VV	Recorder-Reproducer, Video, Tape Reel	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1130	Ocilloscope	1	VV	Oscilloscope: Features include: High Sensitivity, band limiting to 15 MHz on the most sensitive ranges; Delayed Sweep, to closely examine small parts of the main time base; Trigger Lock, a trigger lock function establishes the trigger point within the peak to peak signal swing and ensures solid triggering despite wide variations in signal excursions. Standard features: Level Lock, Alternate Triggering, CH 1 Output, Z Axis Input, 10 ns/div Maximum Speed Sweep	
U1127	Monitor, Video	1	VV	Studio Video Monitor: High quality 8.4" TFT LCD specifically designed to be used for field monitoring and studio applications. The display has heads up displays for information such as audio channels, time code, peaking, and markers. Virtually all HD format signals are supported through the HD-SDI input and the LCD can be powered with industry standard canon connector batteries.	
U1090	Digital Character Generator	1	VV	Digital character generator with instant font size, full RGB scan in, variable scroll & crawl, 16.7 million colors.	
U1150	Recorder-Reproducer, Video	1	VV	Recorder-Reproducer, Video	
U1172	Test Set, Color Circuit	1	VV	Test Set, Color Circuit	
U1091	Digital Video Effects	1	VV	Digital Video Effects	
U1104	Generator, Synchronizing, Television	1	CC	Generator, Synchronizing, Television	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

3. VIDEO EDITING ROOM (XXYYZ)

U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
U1066	Cart, Mobile	AR	VV	Mobile Cart for Portable AV Equipment	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1053	Computer, Multimedia (non-linear digital video editing)	1	VV	Desk top microprocessing computer for non-linear, digital-video editing. The unit shall consist of a central processing mini tower, dual-flat panel monitos, keyboard, mouse and speakers. Unit should be comprised of up-to-date CPU speed and memory suitable for computer-video editing.	

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1166	Storage, Hard Drive Array	1	VV	3.75 TB HD External Hard Drive Array spread across 5 750 GB drives, all of which are hot swappable. A PCI-X eSATA controller card and cables are included. Can be configured in several configurations, including RAID 0 for maximum performance, RAID 1 for data mirroring or as JBOD allowing you to access each hard drive as a separate volume. The SATA 3 Gb/s connection delivers sustained data transfer rates of up to 230 MB/sec	
U1056	Amplifier, Audio	AR	VV	2-Channel power amplifier housed in a 2-space rackmount frame, offering power levels and features meant to serve fixed installation sound applications. Completely independent array of switches and indicators for each channel, including high and low impedance operation, input sensitivity, high pass filters, and an advanced level of well designed overload protection circuitry. Includes a PIP-USP3/CN module for networked controlling via either HiQnet and System Architect or TCP/IQ and IQwic.	
M0425	Monitor, Television	AR	VV	Color video monitor, 17-20", with a diagonal picture tube and audio capacity. Convenience outlet required at point of use.	
U1145	Recorder, Video, Betacam SP	1	VV	Studio editing recorder featuring legacy playback ability to enable archived Betacam footage can be used whether it is digital or analog based.	
U1141	Recorder, Digital Video	1	VV	Digital recorder used to output both SD and HD content simultaneously as well as having full connectivity to external media storage devices. At its highest quality, the deck will store up to 10 hours and up to 40 hours if extended run-time used. Equipped with Iomega REV Drive Built-In to provide unlimited storage.	
U1094	DVD Player	AR	VV	Professional DVD Video, CD Video and CD Audio CD-R/W, DVD-R Player, Progressive Scan, Multi System, RS232 Serial Port.	
U1097	D-VHS, SVHS, VHS Recorder/Player	AR	VV	D-VHS digital player and recorder. It uses the MPEG-2 codec for recording standard NTSC sources. The VCR can record from Firewire, S-Video or Composite Video sources like camcorders, cable boxes or standard TV tuners. (It has a tuner built-in.) Content can be played on HDTV sets with 1080i, 720p, 480i or 480p displays. It is also D-Theater compliant so it can play any D-Theater prerecorded tape. For HDTV playback, the HMD-H5U is compatible with all 18 ATSC broadcasting formats. can be used as a standard VCR and record in VHS or higher quality SVHS formats. A built-in TV tuner with a 1 year/24 program timer lets it replace your old VCR completely. It even has VCR+ for automated recording schedules and "Plug and Play" tuner and clock set-ups.	
U1110	Image Enhancer, Television	AR	CC	Image Enhancer, Television	
U1161	Stand, VTR, Dual	AR	VV	Stand, VTR, Dual	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

4. AUDIO RECORDING AND NARRATION SOUND ROOM (XXYYZ)

**EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE**

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
U1139	Rack, Audio Visual Equipment	AR	VV	Audio Visual Equipment Rack: Measures 19x31x77" Securely holds equipment. Electrical knock outs on rear plates easily allow for cable pass through. Standard with vented rear doors and front doors. The top is built to accommodate a 10" fan and comes with a fan guard for additional ventilation.	
U1066	Cart, Mobile	AR	VV	Mobile Cart for Portable AV Equipment	
F0695	Workstation, Computer, Open	1	VV	Computer operator workstation, 55" high X 60" wide X 27" deep with large work surface and one (1) 17" high X 48" wide X 16" deep hutch. Desk has one (1) pull-out keyboard shelf. Hutch has adjustable open shelves.	
F0280	Chair, Swivel, Low Back	1	VV	Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.	
U1052	Computer, Multimedia	1	VV	Desk top microprocessing computer (Mac/PC). The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. Unit specifications are based on recommended hardware requirements for current versions of photo and video editing software (Example: Adobe Photoshop)	
U1148	Recorder/Reproducer, Sound and Vibration	AR	VV	Recorder/Reproducer, Sound and Vibration	
U1056	Amplifier, Audio	AR	VV	2-Channel power amplifier housed in a 2-space rackmount frame, offering power levels and features meant to serve fixed installation sound applications. Completely independent array of switches and indicators for each channel, including high and low impedance operation, input sensitivity, high pass filters, and an advanced level of well designed overload protection circuitry. Includes a PIP-USP3/CN module for networked controlling via either HiQnet and System Architect or TCP/IQ and IQwic.	
U1123	Mixer, Microphone, Preamp	AR	VV	4 Channel Microphone Preamplifier System with 2dB Steps Gain Switch Option, Differential Output Mixer, Headphone Amplifier and PS-2000 Power Supply.	
U1143	Recorder, Sound, Portable	AR	VV	Recorder, Sound, Portable	
U1149	Recorder/Reproducer, Video Tape Cassette	AR	VV	Recorder/Reproducer, Video Tape Cassette	
U1153	Reproducer, Sound	AR	VV	Reproducer, Sound	
U1146	Recorder/Reproducer, Audio Radio	AR	VV	Recorder/Reproducer, Audio Radio	
U1142	Recorder, Sound	AR	VV	Recorder, Sound	
U1094	DVD Player	AR	VV	Professional DVD Video, CD Video and CD Audio CD-R/W, DVD-R Player, Progressive Scan, Multi System, RS232 Serial Port.	
U1173	Timer, Electronic	AR	VV	Timer, Electronic	
U1078	Digital Audio Mixer	1	VV	Digital Recording Mixer featuring 56 Channels & Flexible Routing, complete 5.1 surround solution with Joystick style panning and a comprehensive graphic monitor displaying multichannel surround/pan position, high quality converters & head amplifiers with 24-bit 96kHz resolution. advanced effects & dynamics processing analog-style user interface allowing static changes without frequently referring to the LCD monitor.	
F3200	Clock, Battery Operated	1	VV	Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).	

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
5. MATV / CCTV DISTRIBUTION HEADEND (XXYYZ)					
See Above: 5.D. PRODUCTION AREAS: AUDIOVISUAL SERVICE, 1. VIDEO EDITING / CCTV CONTROL ROOM VIDEO DISTRIBUTION (XXYYZ)					

E. MMVSS PRODUCTION AREAS: CENTRAL COPY CENTER SERVICE

1. CENTRAL COPY CENTER / REPRODUCTION ROOM (XXYYZ)					
See Above: 5.E. MMVSS PRODUCTION AREAS: CENTRAL COPY CENTER SERVICE, 1. CENTRAL COPY CENTER / REPRODUCTION ROOM (XXYYZ)					

2. STORAGE, PAPER / SUPPLY (SRE01)					
See Above: 5.E. MMVSS PRODUCTION AREAS: CENTRAL COPY CENTER SERVICE, 2. STORAGE, PAPER / SUPPLY (SRE01)					

F. MMVSS SUPPORT AREAS

1. STORAGE (SRE01)					
See Above: 5.F. MMVSS SUPPORT AREAS, 1. STORAGE (SRE01)					

2. AUDIOVISUAL (AV) EQUIPMENT STORAGE / CHECK-OUT ROOM (SRE01)					
See Above: 5.F. MMVSS SUPPORT AREAS, 2. AUDIOVISUAL (AV) EQUIPMENT STORAGE / CHECK-OUT ROOM (SRE01)					

3. VIDEO-TELECONFERENCING ROOM (XXYYZ)					
See Above: 5.F. MMVSS SUPPORT AREAS, 3. VIDEO-TELECONFERENCING ROOM (XXYYZ)					

7. VAMC WITHOUT MEDICAL MEDIA SERVICE

A. VAMC WITHOUT MEDICAL MEDIA SERVICE

1. STORAGE, AUDIOVISUAL EQUIPMENT (SRE01)					
See Above: 5.F. MMVSS SUPPORT AREAS, 2. AUDIOVISUAL (AV) EQUIPMENT STORAGE / CHECK-OUT ROOM (SRE01)					

2. COPY CENTER (XXYYZ)					
-------------------------------	--	--	--	--	--

EQUIPMENT LIST UPDATE
248 MEDICAL MEDIA SERVICE

June 2008

JSN	NAME	QTY	ACQ / INS	DESCRIPTION	SPEC
See Above: 5.E. MMVSS PRODUCTION AREAS: CENTRAL COPY CENTER SERVICE, 1. CENTRAL COPY CENTER / REPRODUCTION ROOM (XXYYZ)					