

**SUBSTANCE ABUSE CLINIC (202)****1 - RECEPTION AREA****1 - WRC01 - Waiting**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION   |
|-------|---|-----|---------|---|
| A5076 | Dispenser, Hand Sanitizer, Free Standing        | 1   | VV      | A free standing hand sanitizer dispenser. For use throughout a healthcare facility. Unit does not include the sanitizing liquid. Units are battery operated.  |
| A5210 | Bracket, Television, Wall Mounted, w/Adjust Arm | 1   | VV      | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.                                     |
| A5220 | Bracket, Television, Wall Backing               | 1   | CC      | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing. |
| A6046 | Artwork, Decorative, With Frame                 | 1   | VV      | This JSN is to be used for determining and defining location of decorative artwork.   |
| F0206 | Chair, Side, Bariatric, With Arms               | 1   | VV      | A bariatric side chair with arms for use in a waiting room, lobby or other patient area. Chair will have a padded seat and back and have a capacity of 800 pounds.  |
| F0305 | Chair, Waiting Room, Single                     | 4   | VV      | Single seat waiting room chair with foam padded seat and back. Upholstered with either woven fabric textile or vinyl. Arms and floor glides included.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1   | VV      | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.            |
| F2300 | Rack, Magazine, Wall Mounted                    | 1   | VV      | Wall mounted magazine rack with nine (9) magazine holding compartments.   |
| F2310 | Rack, Pamphlet, Wall Mounted                    | 1   | VV      | Wall mounted pamphlet rack up to 12 (twelve) pamphlet holding pockets. Unit is used to store and display educational pamphlets.   |
| F3200 | Clock, Battery, 12" Diameter                    | 1   | VV      | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).             |
| M0506 | Television, Flat Screen                         | 1   | VV      | Flat screen television with approximately 32" to 40' diagonal screen size. The TV will have built-in speakers, NTSC tuner, a 16:9 wide screen aspect ratio, a minimum of 1280 x 768 resolution and a remote control.              |

**2 - NSTA4 - Reception / Communication Center**

| JSN   | NAME                           | QTY | ACQ/INS | DESCRIPTION                        |
|-------|--------------------------------|-----|---------|------------------------------------|
| A1010 | Telecommunication Outlet       | 3   | VV      | Telecommunication outlet location. |
| A1015 | Telephone, Desk, Multiple Line | 3   | VV      | Telephone, desk, multiple line.    |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |   |
|-------|---|---|----|---|
| A6165 | Station, Pneumatic Tube System                    | 1 | CC | The basic pneumatic tube system consists of a tube linking two or more different locations, a carrier to carry the payload and a power source to move the carrier from one location to another. The systems becomes more complex when the system is expanded to a network containing hundreds of locations and dozens of zones that need to transport the payload simultaneously.   |
| C0045 | Frame, Apron, 1 Drawer, 4x36x22                   | 1 | CC | Apron frame with one standard drawer. Also referred to as a drawer frame or table frame. Used for a knee space as a combination frame and drawer to support a top between base cabinets or a base cabinet and a wall. Constructed of steel.   |
| C0046 | Frame, Apron, 2 Drawer, 4x48x22                   | 1 | CC | Apron frame with two standard drawers. Also referred to as a drawer frame or table frame. Used for a knee space as a combination frame and drawers to support a top between base cabinets or a base cabinet and a wall.   |
| C06M0 | Cabinet, U/C/B, 1 PBD, 2 DR, 1 File DR, 30x18x22  | 1 | CC | Sitting height under counter base cabinet with a pullboard above two drawers and file drawer. Also referred to as a drawer cabinet. For general purpose use throughout the facility.  |
| C09F0 | Cabinet, U/C/B, 2 Half Drawer, 2 Door, 36" W      | 1 | CC | Sitting height under counter base cabinet, 30" H x 36" W x 22" D with two half width drawers above solid hinged doors. Also referred to as a combination cabinet or drawer and cupboard cabinet. For general purpose use throughout the facility.   |
| C09G0 | Cabinet, U/C/B, 1 Shelf, 2 Door, 30x36x22         | 1 | CC | Sitting height under counter steel base cabinet with one adjustable shelf and solid hinged doors. Also referred to as a cupboard or door cabinet. For general purpose use throughout the facility.  |
| CG040 | Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 38x36x13 | 1 | CC | Wall hung cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility.  |
| CG050 | Cabinet, W/H, 2 SH, 2 SGDO, Sloping Top, 38x48x13 | 1 | CC | Wall hung steel cabinet with two adjustable shelves, framed-glass sliding doors, and sloping top. Also referred to as a framed-glass sliding double door wall case. For general purpose use throughout the facility.  |
| CT030 | Countertop, High Pressure Laminate                | 1 | CC | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth. |
| F0280 | Chair, Swivel, Low Back                           | 1 | VV | Low back contemporary swivel chair, 37" high X 25" wide X 31" deep with a five (5) caster swivel base, arms and foam padded seat and back upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height             | 1 | VV | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.  |
| F2000 | Basket, Wastepaper, Round, Metal                  | 2 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  |

|       |   |   |    |   |
|-------|---|---|----|---|
| F3050 | Whiteboard, Dry Erase                           | 1 | VV | Whiteboard unit, approximately 36" H x 48" W consisting of a white porcelain enamel writing surface with an attached chalk tray. Magnetic surface available. Image can be easily removed with a standard chalkboard eraser. For use with water color pens. Unit is ready to hang.   |
| F3200 | Clock, Battery, 12" Diameter                    | 1 | VV | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 2 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |
| M1840 | Printer/Copier/Fax Combination                  | 1 | VV | Multifunctional printer, fax, scanner and copier (PFC) all-in-one machine.  |

**3 - TLTU1 - Toilet, Public**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION  |
|-------|---|-----|---------|--|
| A1067 | Mirror, Float Glass, ADA Accessible               | 1   | CC      | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.   |
| A5075 | Dispenser, Soap, Disposable                       | 1   | VV      | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.   |
| A5082 | Dispenser, Paper Towel, Sensor, Hands Free        | 1   | CC      | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.  |
| A5090 | Disposal, Sanitary Napkin, SS, Surface Mounted    | 1   | CC      | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.  |
| A5109 | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible | 1   | CC      | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |  |   |    |  |
|-------|--|---|----|--|
| A5145 | Hook, Garment, Double, SS, Surface Mounted         | 1 | CC | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| A5200 | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | 1 | CC | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms. |
| F2010 | Basket, Wastepaper, Step-On                        | 1 | VV | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top.  |
| P3000 | Lavatory, Vitreous China, Straight Back            | 1 | CC | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.                                 |
| P9050 | Toilet, Wall Hung, Siphon Jet                      | 1 | CC | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.  |

**2 - PATIENT AREA**

**1 - OPM H1 - Group Therapy Room**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION  |
|-------|---|-----|---------|--|
| A1010 | Telecommunication Outlet                        | 1   | VV      | Telecommunication outlet location.   |
| A1012 | Telephone, Wall Mounted, 1 Line                 | 1   | VV      | Telephone, wall mounted, 1 line.   |
| F0220 | Chair, Conference                               | 8   | VV      | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.  |
| F0755 | Table, Conference, Wood                         | 1   | VV      | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.  |
| F2250 | Camcorder, Hand Held, HD, Zoom, w/Microphone    | 1   | VV      | Hand held camcorder with full HD recording, LCD display and microphone. Camcorder will also have capability for still picture capture. Audio and video output will be fully transferable to a computer.  |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1   | VV      | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROMDVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |

**2 - OFDC2 - Consult Room**

| JSN   | NAME                           | QTY | ACQ/INS | DESCRIPTION                        |
|-------|--------------------------------|-----|---------|------------------------------------|
| A1010 | Telecommunication Outlet       | 2   | VV      | Telecommunication outlet location. |
| A1015 | Telephone, Desk, Multiple Line | 1   | VV      | Telephone, desk, multiple line.    |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |  |   |    |  |
|-------|--|---|----|--|
| A5075 | Dispenser, Soap, Disposable                        | 1 | VV | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.   |
| A5080 | Dispenser, Paper Towel, SS, Surface Mounted        | 1 | CC | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.  |
| A5145 | Hook, Garment, Double, SS, Surface Mounted         | 1 | CC | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| CD040 | Cabinet, W/H, 2 Shelf, 2 DO, Sloping Top, 38x36x13 | 1 | CC | Wall hung cabinet with two adjustable shelves, solid hinged doors, and sloping top. Also referred to as a solid hinged double door wall case. For general purpose use throughout the facility.   |
| CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID         | 1 | CC | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility. |
| CT030 | Countertop, High Pressure Laminate                 | 3 | CC | High pressure laminate countertop (composition of wood particle core with plastic laminate surface) having a hard smooth surface finish, standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a wide choice of colors, patterns, and depths. Used in general purpose areas requiring a basic work surface arrangement with limited heat resistance and poor chemical resistance. Pricing based upon a 24" depth.  |
| F0205 | Chair, Side With Arms                              | 3 | VV | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.   |
| F0340 | Stool, Self Adjusting                              | 1 | VV | Self adjusting stool. Consists of a foam padded upholstered seat with attached foot rest for added comfort. Mounted on swivel casters. Designed for doctor's use during examinations.  |
| F0740 | Table, Occasional, Lamp                            | 1 | VV | Occasional lamp table (end table) approximately 20" high X 27" wide X 27" deep with choice of finishes (wood, oak veneer, or high pressure laminate).  |
| F2000 | Basket, Wastepaper, Round, Metal                   | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| F3200 | Clock, Battery, 12" Diameter                       | 1 | VV | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).  |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor    | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |
| M1802 | Work Station, Computer, Retractable, Wall Mounted  | 1 | VV | A wall mounted retractable work station. Work station is used as a computer station in treatment rooms, exam rooms and areas where physical space is limited.  |

| <b>3 - TLTU1 - Toilet, Specimen</b> |  |            |                |  |
|-------------------------------------|--|------------|----------------|--|
| <b>JSN</b>                          | <b>NAME</b>  | <b>QTY</b> | <b>ACQ/INS</b> | <b>DESCRIPTION</b>   |
| A1067                               | Mirror, Float Glass, ADA Accessible                | 1          | CC             | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.   |
| A5075                               | Dispenser, Soap, Disposable                        | 1          | VV             | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.   |
| A5082                               | Dispenser, Paper Towel, Sensor, Hands Free         | 1          | CC             | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.  |
| A5090                               | Disposal, Sanitary Napkin, SS, Surface Mounted     | 1          | CC             | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.  |
| A5109                               | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible  | 1          | CC             | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| A5145                               | Hook, Garment, Double, SS, Surface Mounted         | 1          | CC             | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| A5200                               | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | 1          | CC             | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.   |
| F2010                               | Basket, Wastepaper, Step-On                        | 1          | VV             | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top.  |
| P3000                               | Lavatory, Vitreous China, Straight Back            | 1          | CC             | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas.   |
| P9050                               | Toilet, Wall Hung, Siphon Jet                      | 1          | CC             | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.  |

| <b>4 - SRS01 - Storage Room</b> |  |            |                |   |
|---------------------------------|--|------------|----------------|---|
| <b>JSN</b>                      | <b>NAME</b>  | <b>QTY</b> | <b>ACQ/INS</b> | <b>DESCRIPTION</b>  |
| A1010                           | Telecommunication Outlet                           | 1          | VV             | Telecommunication outlet location.  |
| A1014                           | Telephone, Wall Mounted, 1 Line, With Speaker      | 1          | VV             | Telephone, wall mounted, 1 line, with speaker.  |
| M2055                           | Shelving, Storage, Wire, CRS, w/Adjustable Shelves | 6          | VV             | Stationary, wire, shelving unit. Unit has fully adjustable shelves constructed of stainless steel. For use in general purpose storage areas. Shelving is provided in various sizes and configurations. Price provided is for a unit approximately 74"H x 18"D x 48"W with four shelves. |

**3 - STAFF AND ADMINISTRATIVE AREA**

**1 - OFA09 - Office, Substance Abuse Service Chief**

| <b>JSN</b> | <b>NAME</b>                                 | <b>QTY</b> | <b>ACQ/INS</b> | <b>DESCRIPTION</b>   |
|------------|---|------------|----------------|--|
| A1010      | Telecommunication Outlet                    | 2          | VV             | Telecommunication outlet location.   |
| A1015      | Telephone, Desk, Multiple Line              | 1          | VV             | Telephone, desk, multiple line.  |
| A5145      | Hook, Garment, Double, SS, Surface Mounted  | 1          | CC             | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| E0090      | Workstation, L-Shaped, Free Standing, 72x72 | 1          | VV             | THIS TYPICAL INCLUDES:<br>4 Standard Solid Panels<br>2 Panel-to-Panel Connectors<br>1 Panel Connector, 2-Way Corner<br>2 Finished End Hardware<br>2 Lockable Flipper Units<br>2 Shelves, Storage/Display<br>3 Lights<br>3 Tackboards<br>2 Cantilevered Work Surfaces<br>1 Adjustable Keyboard Tray<br>1 Mobile Pedestal, Box/File<br>1 Pencil Drawer<br>2 Support Panels |
| F0205      | Chair, Side With Arms                       | 1          | VV             | Upholstered side chair, 32" high X 21" wide X 23" deep with arms, padded seats and padded backs. Seat height is a minimum of 17". Available with or without sled base.   |
| F0275      | Chair, Swivel, High Back                    | 1          | VV             | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420      | Cabinet, Filing, Lateral, Half Height       | 1          | VV             | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |   |
|-------|---|---|----|---|
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  |
| F3200 | Clock, Battery, 12" Diameter                    | 1 | VV | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |

**2 - OFA07 - Workstation, Secretary**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION  |
|-------|---|-----|---------|--|
| A1010 | Telecommunication Outlet                    | 2   | VV      | Telecommunication outlet location.   |
| A1015 | Telephone, Desk, Multiple Line              | 1   | VV      | Telephone, desk, multiple line.  |
| E0123 | Workstation, Straight, Free Standing, 72" W | 1   | VV      | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:<br>4 Standard Solid Panels<br>2 Panel Connectors, 2-Way Corner<br>1 Panel-to-Panel Connector<br>2 Finished End Hardware<br>1 Cantilevered, Work Surface<br>2 Lockable Flipper Units<br>2 Shelf, Storage/Displays<br>2 Lights<br>1 Tack board<br>1 Tool Rail<br>1 Paper Tray<br>1 Diagonal Tray<br>1 Adjustable Keyboard Tray<br>1 Mobile Pedestal, Box/File |
| F0275 | Chair, Swivel, High Back                    | 1   | VV      | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height       | 1   | VV      | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal            | 1   | VV      | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |



|       |   |   |    |   |
|-------|---|---|----|---|
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |
|-------|---|---|----|---|

**3 - OFA07 - Workstation, Pharmacy Nurse**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION  |
|-------|---|-----|---------|--|
| A1010 | Telecommunication Outlet                        | 2   | VV      | Telecommunication outlet location.   |
| A1015 | Telephone, Desk, Multiple Line                  | 1   | VV      | Telephone, desk, multiple line.  |
| E0123 | Workstation, Straight, Free Standing, 72" W     | 1   | VV      | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:<br>4 Standard Solid Panels<br>2 Panel Connectors, 2-Way Corner<br>1 Panel-to-Panel Connector<br>2 Finished End Hardware<br>1 Cantilevered, Work Surface<br>2 Lockable Flipper Units<br>2 Shelf, Storage/Displays<br>2 Lights<br>1 Tack board<br>1 Tool Rail<br>1 Paper Tray<br>1 Diagonal Tray<br>1 Adjustable Keyboard Tray<br>1 Mobile Pedestal, Box/File |
| F0275 | Chair, Swivel, High Back                        | 1   | VV      | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height           | 1   | VV      | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1   | VV      | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1   | VV      | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |

| <b>4 - OFA07 - Workstation, Physician</b>               |   |            |                |  |
|---|---|------------|----------------|--|
| <b>JSN</b>  | <b>NAME</b>                                     | <b>QTY</b> | <b>ACQ/INS</b> | <b>DESCRIPTION</b>   |
| A1010   | Telecommunication Outlet                        | 2          | VV             | Telecommunication outlet location.   |
| A1015   | Telephone, Desk, Multiple Line                  | 1          | VV             | Telephone, desk, multiple line.  |
| E0123   | Workstation, Straight, Free Standing, 72" W     | 1          | VV             | This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:<br>4 Standard Solid Panels<br>2 Panel Connectors, 2-Way Corner<br>1 Panel-to-Panel Connector<br>2 Finished End Hardware<br>1 Cantilevered, Work Surface<br>2 Lockable Flipper Units<br>2 Shelf, Storage/Displays<br>2 Lights<br>1 Tack board<br>1 Tool Rail<br>1 Paper Tray<br>1 Diagonal Tray<br>1 Adjustable Keyboard Tray<br>1 Mobile Pedestal, Box/File |
| F0275   | Chair, Swivel, High Back                        | 1          | VV             | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420   | Cabinet, Filing, Lateral, Half Height           | 1          | VV             | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000   | Basket, Wastepaper, Round, Metal                | 1          | VV             | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801   | Computer, Microprocessing, w/Flat Panel Monitor | 1          | VV             | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |
| <b>5 - OFA07 - Workstation, Psychologist / Chaplain</b> |   |            |                |  |
| <b>JSN</b>  | <b>NAME</b>                                     | <b>QTY</b> | <b>ACQ/INS</b> | <b>DESCRIPTION</b>   |
| A1010   | Telecommunication Outlet                        | 2          | VV             | Telecommunication outlet location.   |
| A1015   | Telephone, Desk, Multiple Line                  | 1          | VV             | Telephone, desk, multiple line.  |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |  |
|-------|---|---|----|--|
| E0123 | Workstation, Straight, Free Standing, 72" W     | 1 | VV | <p>This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> <li>4 Standard Solid Panels</li> <li>2 Panel Connectors, 2-Way Corner</li> <li>1 Panel-to-Panel Connector</li> <li>2 Finished End Hardware</li> <li>1 Cantilevered, Work Surface</li> <li>2 Lockable Flipper Units</li> <li>2 Shelf, Storage/Displays</li> <li>2 Lights</li> <li>1 Tack board</li> <li>1 Tool Rail</li> <li>1 Paper Tray</li> <li>1 Diagonal Tray</li> <li>1 Adjustable Keyboard Tray</li> <li>1 Mobile Pedestal, Box/File</li> </ul> |
| F0275 | Chair, Swivel, High Back                        | 1 | VV | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height           | 1 | VV | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |

**6 - OFA07 - Workstation, Rehabilitation Counselor**

| JSN   | NAME                           | QTY | ACQ/INS | DESCRIPTION                        |
|-------|--------------------------------|-----|---------|------------------------------------|
| A1010 | Telecommunication Outlet       | 2   | VV      | Telecommunication outlet location. |
| A1015 | Telephone, Desk, Multiple Line | 1   | VV      | Telephone, desk, multiple line.    |

|       |   |   |    |  |
|-------|---|---|----|--|
| E0123 | Workstation, Straight, Free Standing, 72" W     | 1 | VV | <p>This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> <li>4 Standard Solid Panels</li> <li>2 Panel Connectors, 2-Way Corner</li> <li>1 Panel-to-Panel Connector</li> <li>2 Finished End Hardware</li> <li>1 Cantilevered, Work Surface</li> <li>2 Lockable Flipper Units</li> <li>2 Shelf, Storage/Displays</li> <li>2 Lights</li> <li>1 Tack board</li> <li>1 Tool Rail</li> <li>1 Paper Tray</li> <li>1 Diagonal Tray</li> <li>1 Adjustable Keyboard Tray</li> <li>1 Mobile Pedestal, Box/File</li> </ul> |
| F0275 | Chair, Swivel, High Back                        | 1 | VV | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height           | 1 | VV | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |

**7 - OFA07 - Workstation, Social Worker**

| JSN   | NAME                           | QTY | ACQ/INS | DESCRIPTION                        |
|-------|--------------------------------|-----|---------|------------------------------------|
| A1010 | Telecommunication Outlet       | 2   | VV      | Telecommunication outlet location. |
| A1015 | Telephone, Desk, Multiple Line | 1   | VV      | Telephone, desk, multiple line.    |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |  |
|-------|---|---|----|--|
| E0123 | Workstation, Straight, Free Standing, 72" W     | 1 | VV | <p>This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> <li>4 Standard Solid Panels</li> <li>2 Panel Connectors, 2-Way Corner</li> <li>1 Panel-to-Panel Connector</li> <li>2 Finished End Hardware</li> <li>1 Cantilevered, Work Surface</li> <li>2 Lockable Flipper Units</li> <li>2 Shelf, Storage/Displays</li> <li>2 Lights</li> <li>1 Tack board</li> <li>1 Tool Rail</li> <li>1 Paper Tray</li> <li>1 Diagonal Tray</li> <li>1 Adjustable Keyboard Tray</li> <li>1 Mobile Pedestal, Box/File</li> </ul> |
| F0275 | Chair, Swivel, High Back                        | 1 | VV | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height           | 1 | VV | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |

**8 - OFA07 - Workstation, Statistical Clerk**

| JSN   | NAME                           | QTY | ACQ/INS | DESCRIPTION                        |
|-------|--------------------------------|-----|---------|------------------------------------|
| A1010 | Telecommunication Outlet       | 2   | VV      | Telecommunication outlet location. |
| A1015 | Telephone, Desk, Multiple Line | 1   | VV      | Telephone, desk, multiple line.    |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |  |
|-------|---|---|----|--|
| E0123 | Workstation, Straight, Free Standing, 72" W     | 1 | VV | <p>This JSN will provide a whole work station typical to quickly plan work in areas in clinical or administrative spaces. There will be a price decrease if typical work stations are used with vertical hanging strips instead of panels. THIS TYPICAL INCLUDES:</p> <ul style="list-style-type: none"> <li>4 Standard Solid Panels</li> <li>2 Panel Connectors, 2-Way Corner</li> <li>1 Panel-to-Panel Connector</li> <li>2 Finished End Hardware</li> <li>1 Cantilevered, Work Surface</li> <li>2 Lockable Flipper Units</li> <li>2 Shelf, Storage/Displays</li> <li>2 Lights</li> <li>1 Tack board</li> <li>1 Tool Rail</li> <li>1 Paper Tray</li> <li>1 Diagonal Tray</li> <li>1 Adjustable Keyboard Tray</li> <li>1 Mobile Pedestal, Box/File</li> </ul> |
| F0275 | Chair, Swivel, High Back                        | 1 | VV | Highback contemporary swivel chair, 41" high X 23" wide X 23" deep with five (5) caster swivel base and arms. Chair may be used at desks or in conference rooms. Back and seat are foam padded and upholstered with either woven textile fabric or vinyl.  |
| F0420 | Cabinet, Filing, Lateral, Half Height           | 1 | VV | Half height two (2) or three (3) drawer lateral filing cabinet, 28" high X 42" wide X 18" deep with recessed handles, locking device and drawer label holders. Drawers are adaptable to either letter or legal size materials.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.   |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.  |

**9 - CRA01 - Conference Room**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION   |
|-------|---|-----|---------|---|
| A1010 | Telecommunication Outlet                      | 3   | VV      | Telecommunication outlet location.  |
| A1011 | Telephone, Desk, 1 Line                       | 1   | VV      | Telephone, desk, 1 line.  |
| A5145 | Hook, Garment, Double, SS, Surface Mounted    | 2   | CC      | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | 1   | VV      | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.   |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |   |
|-------|---|---|----|---|
| A5220 | Bracket, Television, Wall Backing               | 1 | CC | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.   |
| A6046 | Artwork, Decorative, With Frame                 | 1 | VV | This JSN is to be used for determining and defining location of decorative artwork.   |
| F0220 | Chair, Conference                               | 8 | VV | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.   |
| F0690 | Workstation, Computer, Enclosed, With Lock      | 1 | VV | Computer operator workstation ,approximately 58" high X 36" wide X 25" deep. A fully enclosed workstation for a computer, monitor, printer and supplies. Cabinet has two lockable doors.  |
| F0755 | Table, Conference, Wood                         | 1 | VV | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.   |
| F2000 | Basket, Wastepaper, Round, Metal                | 1 | VV | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.  |
| F3200 | Clock, Battery, 12" Diameter                    | 1 | VV | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).   |
| M0385 | Projector, Multimedia/Data                      | 1 | VV | The projector shall provide computer and video projections. Minimum features included: Brightness of not less than 1500 ANSI ( American National Standards Institute) Lumens, and a minimum resolution format of 1024 X 768 pixels (XGA). The projector shall be portable and weigh no more than 10 pounds. It shall include a zoom lens and computer and video input ports.  |
| M0400 | Screen, Projection, 144x144, Remote Control     | 1 | CC | Wall or ceiling mounted, roll-up type screen with remote control. Includes multiple controls to operate the screen from two or more locations, wireless remote control, adjustable preset limit switches, and black borders on all sides. Screen is housed in a solid wood or metal case with removable motor module. For a classroom, conference room, or large auditorium.  |
| M0507 | Video Teleconferencing System                   | 1 | VV | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites.  |
| M0512 | Television, HDTV, Large Screen, 60"             | 1 | VV | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.  |
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

| M1875                             | Board, Copy, Electronic Facsimile                  | 1   | VV      | Electronic facsimile copy board for use in conference rooms and classrooms. Available in a variety of sizes. Unit scans writing surface and makes a paper copy of the board's contents. The user can make multiple copies of a single scanning. Single sided version, single copy version, and office size boards are options. May have a PC interface option. Database pricing reflects a mobile two-panel copy-board with a minimum 33" x 66" writing surface. Depth dimension refers to depth at the caster level of the supporting frame. |
|-----------------------------------|--|-----|---------|---|
| <b>10 - SL001 - Lounge, Staff</b> |  |     |         |   |
| JSN                               | NAME   | QTY | ACQ/INS | DESCRIPTION   |
| A1010                             | Telecommunication Outlet                           | 1   | VV      | Telecommunication outlet location.  |
| A1012                             | Telephone, Wall Mounted, 1 Line                    | 1   | VV      | Telephone, wall mounted, 1 line.  |
| A1080                             | Mirror, Posture, Wall Mounted                      | 1   | CC      | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.  |
| A5075                             | Dispenser, Soap, Disposable                        | 1   | VV      | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.  |
| A5080                             | Dispenser, Paper Towel, SS, Surface Mounted        | 1   | CC      | A surface mounted, satin finish stainless steel, single-fold, paper towel dispenser. Dispenser features: tumbler lock; front hinged at bottom; and refill indicator slot. Minimum capacity 400 single-fold paper towels. For general purpose use throughout the facility.   |
| A5145                             | Hook, Garment, Double, SS, Surface Mounted         | 1   | CC      | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.   |
| A5210                             | Bracket, Television, Wall Mounted, w/Adjust Arm    | 1   | VV      | Wall mounted television bracket with adjustable arm. Consists of movable arm with minimum 120 degree swivel. Designed for holding wall mounted, flat panel television units in patient rooms.   |
| A5220                             | Bracket, Television, Wall Backing                  | 1   | CC      | Wall mounted television bracket backing which provides additional support and strength for the installation of the television bracket. Option available for interior or exterior plate and sized for 12" 16" or 24" stud spacing.   |
| C02C0                             | Cabinet, U/C/B, 1 Shelf, 1 Drawer, 1 DO, 36x24x22  | 1   | CC      | Standing height under counter base cabinet with an adjustable shelf and a full width drawer above a solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings). Also referred to as a combination cabinet or a drawer and cupboard cabinet. For general purpose use throughout the facility.  |
| C02D0                             | Cabinet, U/C/B, 4 Drawer, 36x24x22                 | 1   | CC      | Standing height under counter base cabinet with four full width drawers of equal height. Also referred to as a drawer cabinet. For general purpose use throughout the facility.   |
| C04P0                             | Cabinet, Sink, U/C/B, 2 Door, 36x36x22             | 1   | CC      | Standing height under counter base sink cabinet with solid hinged doors. Also referred to as a double-door sink cabinet. For general purpose use throughout the facility where a sink is to be used. Coordinate actual clear cabinet dimension with the actual outside dimension of sink that is specified to ensure that they are compatible.  |
| CB020                             | Cabinet, W/H, 2 Shelf, 1 DO, Sloping Top, 38x24x13 | 2   | CC      | Wall hung cabinet with two adjustable shelves, solid right or left-hinged door (appropriate door hinge configuration to be indicated on equipment elevation drawings), and sloping top. Also referred to as a solid hinged single door case. For general purpose use throughout the facility.   |



SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

|       |   |   |    |   |
|-------|---|---|----|---|
| CS010 | Sink, SS, Single Compartment, 7.5x12x12 ID          | 1 | CC | Single compartment stainless steel sink, drop-in, self-rimming, ledge-type, connected with a drain and provided with a mixing faucet. It shall also be provided with pre-punched fixture holes on 4" center, integral back ledge to accommodate deck-mounted fixtures, brushed/polished interior and top surfaces, and sound deadened. Recommended for use in suspended or U/C/B sink cabinets having a high plastic laminate or Chemsurf laminate countertop/work surface. For general purpose use throughout the facility.  |
| CT020 | Countertop, Solid Surface                           | 7 | CC | A solid, nonporous countertop with a smooth seamless appearance. Easy to clean and maintain and with proper cleaning does not support the growth of mold. An acrylic-based solid surface product. Standard thickness of 1", and a 4" butt backsplash/curb. Also referred to as a work surface or work top. Available in a choice of colors and depths. Used in lab and other hospital areas requiring optimum physical and chemical resisting properties.   |
| F0225 | Chair, Dining Room                                  | 4 | VV | Dining room chair with glides. Chair has straight legs with cushioned cloth or vinyl seat.  |
| F0795 | Table, Dining                                       | 1 | VV | Dining table. Round 42" diameter or square 42" X 42". Used in dining facilities and can comfortably seat up to four (4) persons.  |
| F2015 | Basket, Wastepaper, Metal/Plastic, 2 Swinging Doors | 1 | VV | Metal receptacle for soiled / used towels or waste. Equipped with a removable tapered top with two independently operating self-closing, spring hinged doors. Used in public facilities for the collection and temporary storage of refuse.   |
| F3065 | Whiteboard/Bulletin Board, Combination              | 1 | VV | A combination whiteboard and bulletin board, half LCS and half cork. Available with either aluminum or wood frame. It can be used in patient rooms or in any appropriate space in the facility.   |
| F3200 | Clock, Battery, 12" Diameter                        | 1 | VV | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).   |
| K1552 | Brewer, Coffee, Auto, Elect, 3 Burner, Front/Back   | 1 | VV | Space saving front to back automatic coffee maker. This unit includes a heating tank, connection for a cold water supply, decanter service with three burners, funnel and a water flow controller. The unit is used for semi-automatic coffee brewing in cafeterias and commercial institutions. The unit automatically shuts off the water flow when enough has passed through to fill the pot. The unit is normally provided plumbed with a hot water faucet to the side for making other hot drinks (tea, cider, cocoa, etc.). The database height dimension does not include the clearance for coffee decanters warming on the upper burners. |
| K4665 | Oven, Microwave, Consumer                           | 1 | VV | Counter mounted microwave oven for average duty use. The exterior cabinet can be metal or heavy duty impact resistant plastic. The oven delivers instant energy for rapid heating, defrosting or prime cooking. The oven has touch pad controls, digital timer, power level selector and preprogrammed selectors for commonly cooked items. This oven is commonly found in staff lounges.   |
| M0515 | Television, Plasma                                  | 1 | VV | 42" diagonal screen, high definition (HDTV) multimedia flat panel plasma display television. The TV will have a 16:9 wide screen aspect ratio, a minimum of 1024 x 768 display resolution, NTSC tuner, built-in stereo speakers and surround sound.   |
| R7250 | Refrigerator/Freezer, 20 Cubic Feet                 | 1 | VV | Refrigerator/freezer unit. This type unit includes a food saver system that helps keep food fresher. It also includes roll out wheels and is equipped for an optional automatic icemaker. This unit is of commercial or residential design and use.   |

**11 - LR001 - Locker Room, Staff**

SUBSTANCE ABUSE CLINIC (202) - Contents - VA PG-18-5 (18 Jul 2016 05:03PM ET)

| JSN                               | NAME   | QTY | ACQ/INS | DESCRIPTION  |
|-----------------------------------|--|-----|---------|--|
| A1030                             | Locker, 2 Person, Over/Under                       | 4   | VV      | Two person locker, double tier, 72Hx12Wx18D. This unit includes hooks for coats and hats. Door equipped with safety guard handles. Designed for storage of coats, hats, and other personal belongings. Other width and depths are available.   |
| A1080                             | Mirror, Posture, Wall Mounted                      | 1   | CC      | Wall mounted posture mirror. Consists of a 1/4" plate glass in a sturdy corrosion resistant frame with water proof back. For educational and therapy programs.   |
| <b>12 - TLTU1 - Toilet, Staff</b> |  |     |         |  |
| JSN                               | NAME   | QTY | ACQ/INS | DESCRIPTION  |
| A1067                             | Mirror, Float Glass, ADA Accessible                | 1   | CC      | A high quality 1/4" polished float glass mirror with a stainless steel frame. Frame holds mirror in a tilted position for accessibility and compliance with ADA requirements. Mirror has a galvanized steel back secured to frame with concealed screws with integral horizontal hanging brackets. Mirror shall be approximately 18" wide and 36" high. Other sizes are available.   |
| A5075                             | Dispenser, Soap, Disposable                        | 1   | VV      | Disposable soap dispenser. One-handed dispensing operation. Designed to accommodate disposable soap cartridge and valve.   |
| A5082                             | Dispenser, Paper Towel, Sensor, Hands Free         | 1   | CC      | A surface mounted, sensor activated, automatic, roll paper towel dispenser. The unit dispenses a paper towel automatically only when hands are placed in position below the dispenser for maximum sanitation and hygiene. May include adjustable settings for sheet length, time delay, and sensor range. Unit is battery operated or with optional AC power adapter.  |
| A5090                             | Disposal, Sanitary Napkin, SS, Surface Mounted     | 1   | CC      | A surface mounted, satin finish stainless steel, sanitary napkin disposal. Disposal features a flip-up cover, secured to the container by a heavy duty stainless steel piano-hinge. Disposal may be secured to wall or toilet partition. For general purpose use in female toilet stalls or rooms and uni-sex toilet rooms.  |
| A5109                             | Grab Bar, 1-1/4" Dia., SS, 2 Wall, W/C Accessible  | 1   | CC      | A 1-1/4" diameter, satin finish stainless steel, peened gripping surface, 2 wall toilet stall/ room, grab bar with concealed mounting flanges. Snap over flanges are provided to conceal mounting screws. A selection of mounting kits and concealed anchor devices are available from the manufacturers for different types of installations. Grab bar shall comply with barrier-free accessibility guidelines for structural strength. For typical water closet applications in toilet stalls and rooms where ADA (American's With Disabilities Act) requirements must be met. |
| A5145                             | Hook, Garment, Double, SS, Surface Mounted         | 1   | CC      | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| A5200                             | Dispenser, Toilet Tissue, SS, 2-Roll, Surface Mntd | 1   | CC      | A concealed surface mounted, double roll, satin finish stainless steel, toilet tissue dispenser. Unit accommodates two standard-core toilet tissue rolls through 5" in diameter. Spindles are chrome plated plastic with a heavy-duty internal spring and turn freely for non-controlled delivery. For general purpose use in restrooms.   |
| F2010                             | Basket, Wastepaper, Step-On                        | 1   | VV      | "Step-on" wastepaper basket with inner liner and foot pedal activated flip top.  |

|       |   |   |    |  |
|-------|---|---|----|--|
| P3000 | Lavatory, Vitreous China, Straight Back | 1 | CC | Wall mounted, vitreous china lavatory (approximate bowl size 7"x15"x10") with: straight-front apron, straight or contoured back; faucet holes on 4" centers; gooseneck spout; wrist blade handles; and grid strainer. It shall be suitable for use in clinics, offices, washrooms or patient care areas. |
| P9050 | Toilet, Wall Hung, Siphon Jet           | 1 | CC | Siphon jet water closet/ toilet. This unit is wall hung with an elongated bowl, top spud flushometer, seat with open front and check hinge, and carrier. Used in restrooms throughout the health care facility.  |

**4 - EDUCATION AREA**

**1 - SL002 - Team Room**

| JSN   | NAME                                       | QTY | ACQ/INS | DESCRIPTION   |
|-------|--|-----|---------|---|
| A1010 | Telecommunication Outlet                   | 4   | VV      | Telecommunication outlet location.  |
| A1012 | Telephone, Wall Mounted, 1 Line            | 1   | VV      | Telephone, wall mounted, 1 line.  |
| A5145 | Hook, Garment, Double, SS, Surface Mounted | 2   | CC      | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel. |
| F0115 | Bookcase, Open, 5 Shelf                    | 2   | VV      | Freestanding open shelf bookcase, approximately 82" high X 37" wide X 18" deep with 5 (five) adjustable shelves. Unit can be separate or part of a system with available add-on shelving.   |
| F0220 | Chair, Conference                          | 8   | VV      | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.   |
| F0300 | Chair, Task, Swivel, With Arms             | 1   | VV      | Task chair, approximately 34" H X 26" W X 22" D with adjustable arms and a five caster adjustable swivel base. Seat and back are foam padded and upholstered in woven fabric or vinyl.  |
| F0690 | Workstation, Computer, Enclosed, With Lock | 1   | VV      | Computer operator workstation, approximately 58" high X 36" wide X 25" deep. A fully enclosed workstation for a computer, monitor, printer and supplies. Cabinet has two lockable doors.  |
| F0755 | Table, Conference, Wood                    | 1   | VV      | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.   |
| F2000 | Basket, Wastepaper, Round, Metal           | 2   | VV      | Round wastepaper basket, approximately 18" high X 16" diameter. This metal unit is used to collect and temporarily store small quantities of paper refuse in patient rooms, administrative areas and nursing stations.                        |
| F3055 | Whiteboard, With Sliding Panels.           | 1   | VV      | Standard installations consist of sliding panels and a fixed back panel with the choice of chalkboard, markerboard, bulletin board, or a combination of these choices.  |
| F3200 | Clock, Battery, 12" Diameter               | 1   | VV      | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).                         |

|       |   |   |    |   |
|-------|---|---|----|---|
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information. |
|-------|---|---|----|---|

**2 - CRA02 - Conference Room / Classroom**

| JSN   | NAME  | QTY | ACQ/INS | DESCRIPTION  |
|-------|---|-----|---------|--|
| A1010 | Telecommunication Outlet                      | 4   | VV      | Telecommunication outlet location.   |
| A1011 | Telephone, Desk, 1 Line                       | 1   | VV      | Telephone, desk, 1 line.   |
| A5145 | Hook, Garment, Double, SS, Surface Mounted    | 2   | CC      | A surface mounted, satin finish stainless steel, double garment hook. Equipped with a concealed mounting bracket that is secured to a concealed wall plate. For general purpose use throughout the facility to hang various items of apparel.  |
| A5212 | Bracket, Television, Wall-Mounted, Tilt/Angle | 2   | VV      | A wall mounted, tilt/angled TV bracket for 37" to 80" TVs. Mount will be a universal and VESA compliant unit with a load capacity of up to 130 lbs.  |
| A6046 | Artwork, Decorative, With Frame               | 2   | VV      | This JSN is to be used for determining and defining location of decorative artwork.  |
| F0220 | Chair, Conference                             | 10  | VV      | Conference chair designed to complement the executive furniture package selected. Foam rubber cushioned seats and backs covered with either woven fabric or vinyl. Base with 5 (five) swivel casters.  |
| F0295 | Chair, Stacking                               | 8   | VV      | Stacking chair, approximately 34" H X 21" W X 24" D. May be stacked up to 20 high depending upon the model selected. These chairs are intended primarily as overflow capacity for conference rooms.  |
| F0600 | Credenza, Executive, Wood                     | 1   | VV      | Executive credenza with two (2) box drawers, two (2) file drawers, a center closed storage area with adjustable shelf and floor glides.  |
| F0690 | Workstation, Computer, Enclosed, With Lock    | 1   | VV      | Computer operator workstation, approximately 58" high X 36" wide X 25" deep. A fully enclosed workstation for a computer, monitor, printer and supplies. Cabinet has two lockable doors.   |
| F0755 | Table, Conference, Wood                       | 2   | VV      | Executive conference table. Dimensions are approximately 30" high, 48" wide with lengths varying from 74" to 96". These tables add traditional elegance to any conference room.  |
| F2005 | Basket, Wastepaper, Executive, Wood           | 1   | VV      | Executive wastepaper basket, approximately 15" high X 13" wide X 13" deep.   |
| F3200 | Clock, Battery, 12" Diameter                  | 1   | VV      | Clock, 12" diameter. Round surface, easy to read numbers with sweep second hand. Wall mounted unit for use when impractical to install a fully synchronized clock system. Battery operated, (batteries not included).                          |
| M0507 | Video Teleconferencing System                 | 1   | VV      | Shall be a video conferencing unit consisting of a camera, microphone, video/audio compression components, a component cart and a 32 inch monitor. It shall provide live audio-visual conferencing capabilities to dispersed geographic sites. |
| M0512 | Television, HDTV, Large Screen, 60"           | 2   | VV      | A high definition (HDTV) multimedia, slim design, 60"W to 65"W color television. The TV will have a 16.9 wide screen aspect ratio with full HD 1080p resolution and HDMI connections. TV may be LED, Plasma or LCD. TV will include a stand.   |

|       |   |   |    |   |
|-------|---|---|----|---|
| M1801 | Computer, Microprocessing, w/Flat Panel Monitor | 1 | VV | Desk top microprocessing computer. The unit shall consist of a central processing mini tower, flat panel monitor, keyboard, mouse and speakers. The system shall have the following minimum characteristics: a 2.8 GHz Pentium processor; 512 MB memory; 80GB hard drive; 32/48x CD-ROM/DVD combo; 1.44MB network interface card; video 32 MB NVIDIA; a 18 inch flat panel monitor. The computer is used throughout the facility to input, manipulate and retrieve information.   |
| M1875 | Board, Copy, Electronic Facsimile               | 1 | VV | Electronic facsimile copy board for use in conference rooms and classrooms. Available in a variety of sizes. Unit scans writing surface and makes a paper copy of the board's contents. The user can make multiple copies of a single scanning. Single sided version, single copy version, and office size boards are options. May have a PC interface option. Database pricing reflects a mobile two-panel copy-board with a minimum 33" x 66" writing surface. Depth dimension refers to depth at the caster level of the supporting frame. |