


EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
 egl_821.TXT			VBA - REGIONAL OFFICE - ADJUDICATION DIVISION			
			ADMINISTRATION:			
		VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, ADMINISTRATIVE DIVISION CHIEF:			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, ADMINISTRATIVE OFFICER:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, SECRETARY/WAITING:			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, END, PLASTIC LAMINATE TOP, METAL FRAME			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, CLERICAL ADMINISTRATION OR TECHNICAL PERSONNEL:			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, WORKSTATION:			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			HEARING ROOM:			
	1	VV	SOFA, UPHOLSTERED, APPROX., 2007 mm X 864 mm X 787 mm (79" X 34" X 31")			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, CONFERENCE, 1067 mm X 2438 mm X 749 mm (42" X 96" X 29-1/2")			
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			STORAGE, FORMS:			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			SUPPORT:			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	CHAIR, ROTARY, WITH ARMS			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, UNIT CHIEF:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, ADJUDICATORS AND TECHNICAL PERSONNEL:			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	FILE, PORTABLE ON WHEELS			
	AR	VV	TARGET VDT			
	AR	VV	TABLE, WITH CARROUSEL FOR TARGET COMPUTER			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			FILES, CENTRAL AREA:			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			OFFICE, FILE CLERKS:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CART, MAIL, 610 mm X 914 mm (24" X 36")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			SORT AND DISTRIBUTION UNIT:			
	AR	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	TABLE, OFFICE			
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	DIVIDERS, ROOM (ACOUSTICAL PANELS)			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, SERVICE ORGANIZATION REVIEW/RATING BOARD:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, RATING SPECIALISTS:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) & COMPUTER (TARGET) PRINTER(S):			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			OFFICE, WORKSTATION:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			STORAGE, FORMS:			

EQUIPMENT GUIDE LIST - CHAPTER 821

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			PHOTOCOPY AREA			
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	TABLE (FOR PHOTOCOPY MACHINE)			
	1	VV	PHOTOCOPY EQUIPMENT, TABLE MODEL, 120 VOLT, 20 AMP			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	