


EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
 EGL_827.TXT			VBA - REGIONAL OFFICE - VETERANS SERVICE DIVISION			
			ADMINISTRATION:			
		VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	CHAIR, EASY, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	RECORDER, CASSETTE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, ASSISTANT DIVISION CHIEF:			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, SECRETARY/WAITING:			
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
AR		VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
AR		VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, END, PLASTIC LAMINATE TOP, METAL FRAME			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	1	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, CLERICAL OR ADMINISTRATIVE PERSONNEL:			
AR		VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, WORKSTATION:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
			PHOTOCOPY AREA:			
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	TABLE (FOR PHOTOCOPY MACHINE)			
	1	VV	PHOTOCOPY EQUIPMENT, TABLE MODEL, 120 VOLT, 20 AMP			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			STORAGE, FORMS			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			VETERANS ASSISTANCE:			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, ASSISTANT SECTION CHIEF:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, CLERK/RECEPTIONIST:			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			RECEPTION AREA:			
	AR	VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, END, PLASTIC LAMINATE TOP, METAL FRAME			
			VETERANS BENEFITS COUNSELORS:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, OPERATIONS UNIT:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) & COMPUTER (TARGET) PRINTER(S):			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			STORAGE, FORMS:			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			TELEPHONE UNIT:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, VETERANS BENEFITS COUNSELORS:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, STATE DVOP (DISABLED VETERANS OUTREACH PROGRAM) EMPLOYEE:			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, WORKSTATION:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			FIELD:			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, CLERICAL OR ADMINISTRATIVE PERSONNEL:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			OFFICE, FIELD ATTORNEYS OR VETERANS BENEFITS			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			

EQUIPMENT GUIDE LIST - CHAPTER 827

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			FILES, CENTRAL AREA:			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			OFFICE, WORKSTATION:			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	