


**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
 EGL_834.TXT			<b>VBA - REGIONAL OFFICE - SUPPORT SERVICE DIVISION</b>			
			<b>ADMINISTRATION:</b>			
		VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ASSISTANT DIVISION CHIEF:</b>			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COMPUTER AND PRINTER			
AR		CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, SECRETARY/WAITING:</b>			
	1	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	1	VV	CHAIR, ROTARY, WITHOUT ARMS			
AR		VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, END, PLASTIC LAMINATE TOP, METAL FRAME			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL PERSONNEL:</b>			
AR		VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			

**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>STORAGE, FORMS:</b>			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			<b>OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) &amp; COMPUTER (TARGET) PRINTER(S):</b>			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			<b>SUPPORT:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ADMINISTRATIVE OFFICER TRAINEE/CLERICAL EMPLOYEE:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>SERVICE UNITS:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>PUBLICATIONS UNIT:</b>			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
			BREAKDOWN AREA			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
			<b>OFFICE, PUBLICATIONS CLERKS:</b>			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>MAIL UNIT:</b>			
	2	VV	TABLE, WORK, PLASTIC LAMINATE TOP, 762 mm X 1829 mm X 1016 mm (30" X 72" X 40")			
	2	VV	RACK, MAIL BAG, 610 mm X 762 mm (24" X 30")			
	2	VV	CHAIR, ROTARY, WITHOUT ARMS			
	5	VV	TABLE, 914 mm X 1067 mm (36" X 42")			
	1	VV	SCALE, 457 mm X 610 mm (18" X 24")			
	2	VV	DESK, DOUBLE PEDESTAL, APPROX., 1829 mm X 914 mm X 749 mm (72" X 36" X 29-1/2")			
	2	VV	CART, MAIL, 610 mm X 914 mm (24" X 36")			
	2	VV	CART, UTILITY, 610 mm X 1219 mm (24" X 48")			
	1	VV	MACHINE, METER, SIZE AS REQUIRED			
	1	VV	UNIT, PIGEONHOLE, SIZE AS REQUIRED			
	1	CC	COUNTER TOP, SIZE AS REQUIRED	12301 OR 12302		
	1	VV	CABINET, STORAGE, FREESTANDING STEEL, 2 DOOR WITH 5 ADJUSTABLE SHELVES, 914 mm X 457 mm X 1981 mm (36" X 18" X 78")			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERKS AND MESSENGERS:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			

**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>RECORDS MANAGEMENT ACTIVITY:</b>			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			<b>STORAGE, INACTIVE RECORDS:</b>			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			CENTRAL REPRODUCTION ACTIVITY			
	1	VV	DUPLICATING EQUIPMENT, 120 VOLT, 20 AMP, TYPE AND SIZE AS REQUIRED			
	1	VV	PHOTOCOPY EQUIPMENT, TYPE AND SIZE AS REQUIRED, 120 VOLT, 20 AMP			
	1	VV	COLLATOR, ELECTRIC, 120 VOLT, 20 AMP, TYPE AND SIZE AS REQUIRED			
	1	VV	TABLE, WORK, 1219 mm X 2438 mm X 914 mm (48" X 96" X 36")			
	AR	VV	TRUCK, 3 SHELF, WOOD OR STEEL, WITH RUBBER BUMPERS, 359 mm X 997 mm X 1086 mm (14-1/8" X 39-1/4" X 42-3/4")			
	2	VV	CABINET, STORAGE, FREESTANDING STEEL, 2 DOOR WITH 5 ADJUSTABLE SHELVES, 914 mm X 457 mm X 1981 mm (36" X 18" X 78")			

**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	2	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	2	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	CREDENZA, APPROX., 457 mm TO 502 mm X 1524 mm TO 1956 mm X 762 mm (18" TO 19-3/4" X 60" TO 77" X 30")			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
AR		VV	CHAIR, ROTARY, WITHOUT ARMS			
	1	VV	ADDRESSOGRAPH, 914 mm X 1067 mm (36" X 42")			
	1	VV	PLATE MAKER, 305 mm X 914 mm (12" X 36")			
	1	VV	CUTTER, PAPER, 610 mm X 610 mm (24" X 24") ELECTRIC			
	2	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>CENTRAL PROCESSING UNIT (CPU):</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
AR		CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TELETYPE AND DATA TERMINAL UNIT (DTU):</b>			
	1	VV	TABLE, CONFERENCE, 762 mm X 1524 mm X 749 mm (30" X 60" X 29-1/2")			



EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	1	VV	TABLE, WORK, WITH PLASTIC LAMINATE TOP, STEEL FRAME, 1524 mm X 914 mm X 914 mm (60" X 36" X 36")			
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	AR	VV	CHAIR, STRAIGHT, WITH OR WITHOUT ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	CABINET, STORAGE, METAL, 2 DOOR, 914 mm X 457 mm X 1981 mm (36" X 18" X 78")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	COMPUTER AND PRINTER			
	AR	VV	COMPUTER, PRINTER, DISK AND TERMINAL CONTROLLER			
	AR	VV	COMPUTER, MODEM			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	MACHINE, KEYPUNCH			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, ADDITIONAL EMPLOYEES:</b>			
			NOTE: FURNISHINGS AND EQUIPMENT TO BE DETERMINED ON A PROJECT BY PROJECT BASIS BY VETERANS BENEFITS ADMINISTRATION (VBA).			
			OFFICE, WORKSTATION			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FILES, CENTRAL AREA:</b>			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			<b>CENTRALIZED TRANSCRIPTION ACTIVITY (CTA):</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	TABLE, OFFICE, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TRANSCRIPTIONIST:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			

**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP, FLOOR, CAPPED, EACH DESK	16140	ELEC DM CS 801-3	
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>CENTRAL DICTATION EQUIPMENT AREA:</b>			
			NOTE: EQUIPMENT TO BE DETERMINED ON A PROJECT BY PROJECT BASIS BY VETERANS BENEFITS ADMINISTRATION (VBA).			
			PHOTOCOPY AREA			
	1	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	1	VV	TABLE (FOR PHOTOCOPY MACHINE)			
	1	VV	PHOTOCOPY EQUIPMENT, TABLE MODEL, 120 VOLT, 20 AMP			

**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FINANCE:</b>			
	1	VV	DESK, DOUBLE PEDESTAL, APPROX., 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2")			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	TABLE, TELEPHONE, 457 mm X 610 mm, (18" X 24") FOR SPEAKER PHONE			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, CLERICAL PERSONNEL:</b>			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			<b>ACCOUNTING UNIT:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TECHNICIANS/CLERICAL PERSONNEL:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FILES, CENTRAL AREA:</b>			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) &amp; COMPUTER (TARGET) PRINTER(S):</b>			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			<b>OPERATIONS UNIT:</b>			
	1	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	1	VV	CHAIR, ROTARY, WITH ARMS			
	1	VV	CHAIR, STRAIGHT, WITH ARMS			
	1	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	1	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	1	VV	COMPUTER AND PRINTER			
	1	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, TECHNICIANS/CLERICAL PERSONNEL:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CHAIR, STRAIGHT, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	BULLETIN BOARD, APPROX., 914 mm X 914 mm (36" X 36")			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	AR	VV	BOOKCASE, SECTIONAL, EACH SECTION, 838 mm X 330 mm X 381 mm (33" X 13" X 15") WITH 254 mm (10") BASE			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			

EQUIPMENT GUIDE LIST - CHAPTER 834

03-00

SYMBOL	QNTY	ACQ/INS	DESCRIPTION	SPEC	REFERENCE	DETAIL
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>FILES, CENTRAL AREA:</b>			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	AR	VV	CABINET, FILING (LEGAL SIZE) 5 DRAWER, 457 mm X 635 mm X 1524 mm (18" X 25" X 60")			
			<b>OFFICE, WORKSTATION:</b>			
	AR	VV	DESK, SINGLE PEDESTAL, APPROX., 1219 mm X 762 mm X 749 mm (48" X 30" X 29-1/2")			
			-OR-			
	AR	CC	COUNTER, WIDTH AR X 762 mm X 749 mm (30" X 29-1/2")	12301 OR 12302		
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	PRINTER, COMPUTER, SYSTEM, SHARED			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	AR	VV	PROCESSOR, WORD			
	AR	VV	MICROFICHE, READER AND PRINTER			
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>OFFICE, COMPUTER (TARGET) VIDEO DISPLAY TERMINAL(S) &amp; COMPUTER (TARGET) PRINTER(S):</b>			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	PRINTER, COMPUTER SYSTEM, WITH KEYBOARD (RECEIVE & TRANSMIT)			
	AR	VV	CRT, COMPUTER SYSTEM, WITH KEYBOARD			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			



**EQUIPMENT GUIDE LIST - CHAPTER 834**

03-00

<b>SYMBOL</b>	<b>QNTY</b>	<b>ACQ/INS</b>	<b>DESCRIPTION</b>	<b>SPEC</b>	<b>REFERENCE</b>	<b>DETAIL</b>
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
			<b>OFFICE, AGENT CASHIER:</b>			
	AR	CC	SERVICE WINDOW, BULLET RESISTIVE, ONE WINDOW AT WHEELCHAIR HEIGHT	11022		
	1	CC	INTERCOMMUNICATION SYSTEM FOR SECURITY WINDOW	16760		
	AR	VV	DESK, RIGHT OR LEFT, SINGLE PEDESTAL, 1524 mm X 762 mm X 749 mm (60" X 30" X 29-1/2"), L UNIT ATTACHMENT AT TYPEWRITER HEIGHT, 1016 mm X 457 mm X 660 mm (40" X 18" X 26")			
	AR	VV	CHAIR, ROTARY, WITHOUT ARMS			
	AR	VV	CHAIR, ROTARY, WITH ARMS			
	AR	VV	CABINET, FILING (LETTER SIZE) 5 DRAWER, APPROX., 381 mm X 635 mm X 1524 mm (15" X 25" X 60")			
	1	VV	SAFE, OFFICE, COMBINATION LOCK, 1 OR 2 DOORS, SIZE AS REQUIRED			
	AR	VV	COSTUMER, OR WALL-MOUNTED COAT RACK			
	1	CC	ALARM, MOTION DETECTOR, INTRUSION	16727	CPRO CHP. 14	
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			
	AR	VV	TABLE, COMPUTER, APPROX., 762 mm X 762 mm X 660 mm (30" X 30" X 26")			
	AR	VV	COMPUTER AND PRINTER			
	AR	CC	RECEPTACLE, ELECTRICAL, QUADRAPLEX, FOR COMPUTER EQUIPMENT ITEMS	16140	CPRO CHP. 10	
	1	VV	CLOCK, BATTERY OPERATED			
	AR	CC	RECEPTACLE, ELECTRICAL, DUPLEX, 120 VOLT, 20 AMP	16140	ELEC DM CS 801-3	
			<b>STORAGE, FORMS:</b>			
T-37	AR	CC	SHELVING, FLOORSTANDING, STEEL, WITH SLOPING TOP AND 6 ADJUSTABLE SHELVES, 914 mm X 457 mm X 2134 mm (36" X 18" X 84")	10671		
	AR	VV	TABLE, WORK, 610 mm X 914 mm (24" X 36")			